ORDINANCE NO. _____

AN ORDINANCE WAIVING FORMAL BIDDING REQUIREMENTS FOR THE PURCHASE OF A PIERCE IMPEL CUSTOM PUMPER FOR THE NORTH LITTLE ROCK FIRE DEPARTMENT; DECLARING AN EMERGENCY; AND FOR OTHER PURPOSES.

WHEREAS, the City of North Little Rock ("the City") needs to purchase an impel pumper for the North Little Rock Fire Department ("NLRFD"); and

WHEREAS, Pierce Manufacturing, Inc. ("Pierce"), a well-known and respected manufacturer of fire equipment with features that exceed industry standards can provide its Pierce Impel Custom Pumper (including a 750 gallon tank, 1500 pump, and roll-up doors) built to NLRFD specifications; and

WHEREAS, Pierce is a member supplier of HGACBuy, a unit of local government with over thirty-five years' experience in making the governmental procurement process more efficient with competitively priced goods and services; and

WHEREAS, if purchased direct from the manufacturer, the Pierce Impel Custom Pumper built according to specifications would cost \$533,751.89 (see quote attached hereto as Exhibit "A"); however, buying through HGACBuy reduces the price to \$495,188.00 (see Proposal attached hereto as Exhibit "B"); and

WHEREAS, by purchasing this impel pumper from Pierce through HGACBuy, the NLRFD will realize a savings of \$38,563.89, and it is in the best interests of the City and its residents that the equipment is purchased from Pierce thru HGACBuy.

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF NORTH LITTLE ROCK, ARKANSAS:

SECTION 1: That formal bidding is hereby waived in connection with the acquisition a Pierce Impel Custom Pumper (pursuant to specifications shown on Exhibit "A" attached hereto) for the North Little Rock Fire Department for the total amount of \$495,188.00.

SECTION 2: That funds for the purchase, in the amount of \$495,188.00, is hereby appropriated from the Sales Tax Special Improvements Fund.

SECTION 3: That all ordinances or parts of ordinances in conflict herewith are hereby repealed to the extent of the conflict.

SECTION 4: That the provisions of this Ordinance are hereby declared to be severable and if any section, phrase or provision shall be declared or held invalid, such invalidity shall not affect the remainder of the sections, phrases or provisions.

SECTION 5: It is hereby found and determined that the Fire Department is in need of an impel pumper to maintain its current level of customer service for the residents of North Little Rock, and being necessary for the immediate preservation of the public health, safety and welfare;-THEREFORE, an emergency is hereby declared to exist, and this Ordinance shall be in full force and effect from and after its passage and approval.

| PASSED: | APPROVED: |
|--|---------------------------|
| | Mayor Joe A. Smith |
| SPONSOR: | ATTEST: |
| Mayor Joe A. Smith | Diane Whitbey, City Clerk |
| APPROVED AS TO FORM: C. Jason Carter, City Attorney | |

PREPARED BY THE OFFICE OF THE CITY ATTORNEY/b

FILED 11:40 A.M. P.M.

By City Atty Cade

DATE 7-5-14

Diane Whitbey, City Clerk and Collector

North Little Rock, Arkansas

RECEIVED BY SUSSER



Proposal Option List

6/30/2016


Customer: North Little Rock Representative Topf, William

Organization: **Emergency Vehicle Specialists**

Requirements Manager:

Description: North Little Rock Impel pumper Pumper, Long, Alum, 2nd Gen

Body: Chassis: Impel Chassis, 2010



Bid Number: 441

Job Number:

Number of Units:

Bid Date: 08-25-2016

Stock Number:

Price Level: 35 (Current: 35)

| Line Option | Type Option Description | Qty | Price |
|-------------|--|-----|-----------|
| 1 0671399 | Boiler Plates, Pumper | 1 | 0.00 |
| | Fire Department/Customer - North Little Rock FD | | |
| | Operating/In conjunction W-Service Center - Operating | | |
| | Miles - 50 Miles | | |
| | Number of Fire Dept/Municipalities - 10 | | |
| | Bidder/Sales Organization - EVS Emergency Vehicle Specialists | | |
| | Delivery - Delivery representative Dealership/Sales Organization, Service - EVS Emergency Vehicle | | |
| | Specialists | | |
| 2 0661794 | Single Source Compliance | 1 | 0.00 |
| 3 0584456 | Manufacture Location: Appleton, Wisconsin | 1 | 0.00 |
| 4 0584452 | RFP Location: Appleton, Wisconsin | 1 | 0.00 |
| 5 0588609 | Vehicle Destination, US | 1 | 0.00 |
| 6 0610784 | Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions | 1 | 203.57 |
| 7 0533347 | Pumper/Pumper with Aerial Device Fire Apparatus | 1 | 0.00 |
| 8 0588611 | Vehicle Certification, Pumper | 1 | 0.00 |
| 9 0661778 | Agency, Apparatus Certification, Pumper/Tanker, U.L. | 1 | 0.00 |
| 10 0620362 | Consortium, HGAC | 1 | 0.00 |
| 11 0537375 | Unit of Measure, US Gallons | 1 | 0.00 |
| 12 0529326 | Bid Bond, 10%, Pierce Built Chassis | 1 | 0.00 |
| 13 0582800 | Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment Bond | 1 | 0.00 |
| 14 0000007 | Approval Drawing | 1 | 0.00 |
| 15 0002928 | Electrical Diagrams | 1 | 0.00 |
| 16 0597579 | Impel Chassis, 2010 | 1 | 32,398.08 |
| 17 0000110 | Wheelbase | 1 | 0.00 |
| | Wheelbase - 204.00 | | 0.00 |
| 18 0000070 | GVW Rating | 1 | 0.00 |
| | GVW rating - 46,500 | | |
| 19 0000203 | Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/VeI/DCF | 1 | 1,286.88 |
| 20 0020018 | Frame Liner Not Req'd | 1 | 0.00 |
| 21 0508848 | Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel | 1 | 0.00 |
| 22 0030264 | Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/lmp/Vel/Dash CF/Enf | 1 | 26,594.90 |
| 23 0087572 | Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf | 1 | 0.00 |
| 24 0000322 | Oil Seals, Front Axle | 1 | 0.00 |
| 25 0582936 | Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply | 1 | 2,569.19 |
| 26 0001655 | Wheels, Front, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire | 1 | 757.13 |
| 27 0530466 | Axle, Rear, Meritor RS26-185, 27,000 lb, Imp/Vel/Dash CF | 1 | 11,938.56 |
| 28 0544253 | Top Speed of Vehicle, 68 MPH | 1 | 0.00 |
| 29 0122075 | Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel/Dash CF | 1 | 2,851.82 |
| 30 0000485 | Oil Seals, Rear Axle | 1 | 0.00 |
| 31 0587216 | Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single | 1 | 4,459.59 |
| 32 0693627 | Wheels, Rear, 22.50" x 8.25", Steel, Hub Pilot, Single | 1 | 654.71 |
| 33 0568081 | Tire Balancing, Counteract Beads | 1 | 0.00 |
| 34 0620570 | Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle Qty, Tire Pressure Ind - 6 | 1 | 115.05 |
| 35 0003245 | Axle Hub Covers w/center hole, S/S, Front Axle | 1 | 105.13 |
| 36 0001960 | Axle Hub Covers, Rear, S/S, High Hat (Pair) | 1 | 221.45 |
| 37 0057936 | Covers, Lug Nut, Chrome | 1 | 121.56 |
| 38 0002045 | Mud Flaps, w/logo front & rear | 1 | 589.64 |

| Line | Option | Type | Option Description | Qty | Price |
|------|--------------------|------|---|--------|----------------|
| 39 | 0544802 | | Chocks, Wheel, SAC-44-E, Folding Qty, Pair - 01 | 1 | 553.39 |
| 40 | 0544806 | | Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal | 1 | 386.63 |
| | | | Qty, Pair - 01 | | |
| | 0010070 | | Location, Wheel Chocks - Left Side Rear Compt | | |
| | 0010670 | | ABS Wabco Brake System, Single rear axle | 1 | 5,399.97 |
| | 0030185 | | Brakes, Knorr/Bendix 17", Disc, Front, TAK-4 | 1 | 0.00 |
| | 0000730 | | Brakes, Meritor, Cam, Rear, 16.50 x 7.00" | 1 | 0.00 |
| | 0020784 | | Air Compressor, Brake, Cummins/Wabco 18.7 CFM | 1 | 0.00 |
| | 0000785 0568012 | | Brake Reservoirs, Three | 1 | 0.00 |
| | 0000790 | | Air Dryer, Wabco System Saver 1200, Heater, 2010 Brake Lines, Nylon | 1 | 46.23 |
| | 0000750 | | Air Inlet, w/Disconnect Coupling, Type H | 1 1 | 0.00 381.52 |
| ,,, | 000000 | | Location, Air Coupling(s) - a) DS Step Well Qty, Air Coupling (s) - 1 | | 301.32 |
| 49 | 0610802 | | Engine, Cummins ISL9, 450 hp, 1250 lb-ft, W/OBD, EPA 2016, Imp/Vel | 1 | 82,192.62 |
| 50 | 0001244 | | High Idle w/Electronic Engine, Custom | 1 | 137.24 |
| | 0687994 | | Engine Brake, Jacobs Compression Brake, Cummins Engine Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo | 1 | 5,999.78 |
| | 0552334 | | Clutch, Fan, Air Actuated, Horton Drive Master | 1 | 0.00 |
| | 0123135 | | Air Intake, w/Ember separator, Imp/Vel | 1 | 0.00 |
| | 0597542 | | Exhaust System, 4", 2010 ISL9/ISC 8.3 Engine, Horizontal, Right Side | 1 | 0.00 |
| | 0557543 | | Radiator, Impel/Velocity | 1 | 0.00 |
| | 0511425 | | Cooling Hoses, Rubber | 1 | 0.00 |
| | 0001125 | | Fuel Tank, 65 Gallon, Left Side Fill | 1 | 0.00 |
| | 0001129 | | Lines, Fuel | 1 | 0.00 |
| | 0595087 | | DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle Door, Material & Finish, DEF Tank - Polished Stainless | 1 | 0.00 |
| | 0552793 | | Not Required, Fuel Priming Pump | 1 | 0.00 |
| | 0582243 | | Shutoff Valves, Fuel Line @ Primary Filter, Cummins | 1 | 309.28 |
| | 0699437 | | Cooler, Chassis Fuel, Not Req'd. | 1 | 0.00 |
| | 0690880 0642572 | | No Selection Required From This Category Trans, Allison 5th Gen, 3000 EVS P, w/Prognostics, Imp/Vel/DCF/SFR/Enf | 1 | 0.00 |
| | 0625329 | | Transmission, Shifter, 5-Spd, Push Button, 3000 EVS | 1 | 23,383.27 |
| | 0684459 | | Transmission Oil Cooler, Modine, External | 1 | 0.00 0.00 |
| | 0001370 | | Driveline, Spicer 1710 | 1 | 2,575.45 |
| | 0669988 | | Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler | 1 | 0.00 |
| | 0001544 | | Not Required, Steering Assist Cylinder on Front Axle | 1 | 0.00 |
| | 0621843 | | Steering Wheel, 4 Spoke without Controls, Impel | i | 2,336.84 |
| 71 | 0690274 | | Logo/Emblem, on Dash | 1 | 0.00 |
| | | | Text, Row (1) One - North Little Rock FD Text, Row (2) Two - N/A Text, Row (3) Three - N/A | | |
| 72 | 0536235 | | Bumper, 19" Extended, Steel Painted, Imp/Vel | 1 | 2,760.33 |
| 73 | 0616492 | | Tray, Hose, Center, 19" Bumper, Outside Air Horns, Imp/Vel Grating, Bumper extension - Grating, Rubber | 1 | 362.60 |
| 74 | 0630809 | | Capacity, Bumper Tray - 21) 150' of 1.75 Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray, Notched | 1 | 666.58 |
| 75 | 0510226 | | Stay arm, Tray Cover - b) Pneumatic Stay Arm Lift & Tow Package, Imp/Vel, AXT, Dash CF | 1 | 0.00 |
| | 0002270 | | Tow Hooks, Chrome | 1 | 0.00 |
| | 0647271 | | Cab, Impel FR, 6010 Raised Roof | 1 | 49,532.06 |
| | 0668309 | | Engine Tunnel, ISL and DD13, Impel/Velocity FR | 1 | 0.00 |
| | 0677467 | | Rear Wall, Exterior, Cab, Aluminum Treadplate, Full Coverage | 1 | 350.55 |
| | 0122466 | | Cab Lift, Elec/Hyd, w/Manual Override, Imp/Vel | 1 | 174.28 |
| | 0123176 | | Grille, Bright Finished, Front of Cab, Impel/Velocity | 1 | 1,277.28 |
| | 0002224 | | Scuffplates, S/S At Cab Door Jambs, 4-Door Cab | 1 | 701.47 |
| | | | Material Trim/Scuffplate - c) S/S, Polished | - | |
| 83 | 0646179 | | Trim, S/S, Rect Headlights, VEL/IMP | 1 | 0.00 |
| | | | Material Trim/Scuffplate - c) S/S, Polished | | |
| | | | Turnsignal Covers - No Covers | | |

| Line | Option | Type | Option Description | Qty | Price |
|------|---------|------|---|----------------|-----------|
| | 0087357 | | Molding, Chrome on Side of Cab | 1 | 0.00 |
| | 0521669 | | Mirrors, Retrac, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex | 1 | 889.08 |
| | 0667942 | | Door, Half-Height, Impel FR 4-Door Cab, Raised Roof | 1 | 0.00 |
| | 0655511 | | Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab | 1 | 329.56 |
| | 0667905 | | Storage Pockets w/ Elastic Cover, Recessed, Impel/Velocity FR | 1 | 0.00 |
| | 0667902 | | Controls, Electric Windows, All Cab Doors, Impel/Velocity FR | 1 | 0.00 |
| | 0555485 | | Steps, 4-Door Full Tilt Cab, Std, Imp/Vel | 1 | 0.00 |
| | 0509649 | | Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 1 Light Per Step | 1 | 0.00 |
| | 0002140 | | Fenders, S/S on Cab | 1 | 770.94 |
| | 0199227 | | Window, Side of C/C, PS Fixed/DS None, Imp/Vel | 1 | -64.70 |
| | 0553147 | | Trim, Cab Side Window, PS, Impel | 1 | 474.59 |
| | 0012090 | | Not Required, Windows, Front/Side of raised roof | 1 | 0.00 |
| | 0603142 | | Windows, Rear CC, (2) 8" x 14", Impel | 1 | 0.00 |
| | 0553198 | | Trim, Cab Rear Windows, Impel | 1 | 487.74 |
| 98 | 0647586 | | Cab Interior, Turnout Tuff, Impel/Velocity FR | 1 | 433.38 |
| | | | Color, Cab Interior Vinyl/Fabric - c) Black | 26-10 | |
| 99 | 0667943 | | Cab Interior, Paint Color, Impel/Velocity FR | 1 | 0.00 |
| 400 | 0500500 | | Color, Cab Interior Paint - i) fire smoke gray | 040 | |
| | 0509532 | | Floor, Rubber Padded Cab & Crew Cab, Imp/Vel, Dash CF | 1 | 0.00 |
| | 0667936 | | Heater/defroster, Dual Zone Control, Impel/Velocity FR | 1 | 0.00 |
| 102 | 0603347 | | Air Conditioning, Dual Zone Control, Impel/Velocity FR | 1 | 12,864.62 |
| 100 | 0620675 | | Paint Color, A/C Condenser - Painted by OEM | 240 | 0.00 |
| 103 | 0639675 | | Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer | 1 | 0.00 |
| 104 | 0543257 | | Sun Visor Retention - No Retention Grab Handles, Driver Door Post & Passenger Dash Panel, Imp/Vel | a ^c | 0.00 |
| | 0583938 | | Lights, Engine Compt, Custom, Automatic Sw, Whelen 3SC0CDCR, 3" LED, Trim | 1 | 0.00 |
| 103 | 0303930 | | Qty, - 01 | 100 | 176.81 |
| 106 | 0122516 | | Fluid Check Access, Imp/Vel | 1 | 0.00 |
| | 0583042 | | Side Roll and Frontal Impact Protection | 1 | 9,832.24 |
| | 0622619 | | Seating Capacity, 4 Seats | 1 | 0.00 |
| | 0697005 | | Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety | 1 | 1,648.74 |
| | 0696994 | | Seat, Officer, Pierce PS6, Premium, Air Ride, SCBA, Safety | 1 | 1,250.55 |
| | 0002517 | | Not Required, Radio Compartment | 1 | 0.00 |
| | 0644971 | | Cabinet, EMS, Rear Facing, DS, 26.75 W x 40.50 H x 30.50 D, Web, Lock Ext Acc | 1 | 2,914.54 |
| | | | Light, Short EMS Compt - Pierce, Both Sides | ' | 2,514.04 |
| 113 | 0102783 | | Not Required, Seat, Rr Facing C/C, Center | 1 | 0.00 |
| | 0102790 | | Not Required, Seat, Rr Facing C/C, PS Outboard | 1 | 0.00 |
| 115 | 0108189 | | Not Required, Seat, Forward Facing C/C, DS Outboard | 1 | 0.00 |
| | 0122746 | | Seat, Forward Facing C/C, Center, (2) Pierce PS6, Base, SCBA, Safety | 1 | 1,591.61 |
| | 0108190 | | Not Required, Seat, Forward Facing C/C, PS Outboard | 1 | 0.00 |
| | 0566653 | | Upholstery, Seats In Cab, Turnout Tuff | 1 | 0.00 |
| | | | Color, Cab Interior Vinyl/Fabric - c) Black | · | 0.00 |
| 119 | 0543991 | | Bracket, Air Bottle, Hands-Free II, Cab Seats | 3 | 2,238.67 |
| | | | Qty, - 03 | | • |
| 120 | 0603867 | | Seat Belt, ReadyReach | 1 | 0.00 |
| | | | Seat Belt Color - Red | | |
| 121 | 0604863 | | Seat Belt Height Adjustment, 6 Seats, Imp/Vel, Dash CF | 1 | 291.27 |
| 122 | 0543133 | | Bracket, Helmet Holder, Zico UHH-1 | 1 | 249.68 |
| | | | Qty, Helmet Storage Brkt - 4 | | |
| 123 | 0647647 | | Lights, Dome, FRP Dual LED 4 Lts | 1 | 325.25 |
| | | | Color, Dome Lt - Red & White | | |
| | | | Color, Dome Lt Bzl - Black | | |
| | | | Control, Dome Lt White - Door Switches and Lens Switch | | |
| 124 | 0631776 | | Control, Dome Lt Color - Lens Switch Not Required, Overhead Map Lights | 1 | 0.00 |
| | 0544419 | | Handlights, (2) Streamlight Fire Vulcan, Single-Filament 44401 LED 12v, Orange | 1 | 0.00 |
| 120 | VUTT13 | | Location, Lights - One on DS rear cab wall, one on PS rear cab wall | ı | 522.02 |
| 126 | 0594554 | | Cab Instruments, Blk Gags, Blk Bez, Impel 2010 | 1 | 0.00 |
| | 0509511 | | Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX | 1 | 0.00 |
| | 0543751 | | Light, Do Not Move Apparatus | 1 | 63.64 |
| 0 | | | Alarm, Do Not Move Truck - Pulsing Alarm | ' | 00.04 |
| | | | rading 50 the more fluore fluoring rading | | |

| | Option | Туре | Option Description | Qty | Price |
|-----|---------|------|---|--------|----------|
| | 0509042 | | Messages, Open Door/Do Not Move Truck, MUX w/Color Display | 1 | 0.00 |
| 130 | 0611681 | | Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX | 1 | 0.00 |
| 424 | 0555045 | | Location, Emerg Sw Pnls - Driver's Side Overhead | | 200.00 |
| | 0555915 | | Wijers Control, 2-Speed with Intermittent, MUX, Impel/Velocity | 1 | 208.68 |
| 132 | 0548004 | | Wiring, Spare, 15 A 12V DC 1st | 2 | 289.69 |
| | | | Qty, - 02 12vdc power from - Battery direct | | |
| | | | Wire termination - 15 amp power point plug | | |
| | | | Location, Spare Wiring - Officer Dash | | |
| 133 | 0615214 | | Vehicle Information Center, LCD On Gauge Cluster w/7" Color Disp,Touchscreen,Imp | 1 | 3,619.92 |
| | | | Location, CZ Display - DS Instrument Panel, Impel Camera System | | |
| | | | System Of Measurement - US Customary | | |
| | 0610240 | | Vehicle Data Recorder w/Seat Belt Monitor | 1 | 1,294.49 |
| 135 | 0672635 | | Intercom, David Clark, 5-Pos, 3-Radio, D,O,2C,(P, Radio Only Belt Station) | 1 | 4,541.59 |
| 126 | 0027050 | | Location, Intercom, C Cab - 2) 2 forward facing seats | | 50.45 |
| 130 | 0637058 | | David Clark Universal Radio Interfaces Included with Single/Dual System | 1 | 53.15 |
| 137 | 0597914 | | Location, Radio Interface - Center Dash Headset, David Clark, H3442 Under Helmet, Flex Mic | 4 | 2,052.87 |
| 107 | 0037314 | | Qty, - 04 | - | 2,052.67 |
| | | | Location - One above each seat | | |
| 138 | 0681408 | | Hangers For Headsets, NFPA, Each | 4 | 97.79 |
| | | | Qty, - 04 | | 0,0 |
| | | | Location, Headset Hangers - Driver Seat, Officer Seat, DS Inbrd, Fwrd | | |
| | | | Fcng Seat and PS Inbrd, Fwrd Fcng Seat | | |
| 139 | 0062289 | | Cable, David Clark Headset Extension, 12' | 1 | 181.69 |
| | | | Qty, - 1 | | |
| 140 | 0696439 | | Antenna Mount, Custom Chassis, Cable Routed to Instrument Panel Area | 1 | 132.48 |
| | | | Qty, - 01 | | |
| 141 | 0615106 | | Location, Antenna Mount - Right Side | 4 | 0.054.00 |
| | 0624255 | | Pierce Command Zone, Advanced Electronics & Control System, Impel, WiFi | 1 | 2,054.96 |
| | 0024255 | | Electrical System, Impel Retterios (4) Evide Cro 31, 950 CCA on Threaded Stud | 1 | 0.00 |
| | 0008621 | | Batteries, (4) Exide Grp 31, 950 CCA ea, Threaded Stud | 1 | 721.24 |
| | 0123174 | | Battery System, Single Start, All Custom Chassis Battery Compartment, Imp/Vel | 1 | 860.22 |
| | 0614406 | | Charger, Sngl Sys, IOTA, DSL-75, 75 Amp, Kussmaul 091-94-12 Ind, | 1 1 | 0.00 |
| 140 | 0014400 | | AXT/DCF/Vel/Imp | 1 | 1,031.58 |
| 147 | 0012782 | | Location, Charger, Front Left Side Body Compartment | 1 | 0.00 |
| | | | Location, Battery Chrgr/Cmpr - High On Left Wall | • | 0.00 |
| 148 | 0531403 | | Location, Battery Charger Indicator, Driver's Seat with Bracket | 1 | 239.38 |
| 149 | 0016857 | | Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super | 1 | 526.68 |
| | | | Qty, - 01 | | |
| | | | Color, Kussmaul Cover - b) red | | |
| | | | Shoreline Connection - Battery Charger | | |
| 150 | 0026800 | | Shoreline Location | 1 | 93.02 |
| 454 | | | Location, Shoreline(s) - DS Cab Side | | |
| | 0625793 | | Alternator, 350 amp, Leece-Neville BLP4004H | 1 | 3,606.60 |
| 152 | 0092582 | | Load Manager/Sequencer, MUX | 1 | 288.04 |
| 150 | 0649716 | | Enable/Disable Hi-Idle - e)High Idle enable | 4 | 400.74 |
| | 0648716 | | Headlights, Rectangular Halogen, Imp/Vel Light, Directional, Whelen 600 LED Combination, Cab Corners, | 1 | 438.71 |
| 154 | 0648425 | | Imp/Vel/AXT/Qtm/DCF | 1 | 0.00 |
| | | | Color, Lens, LED's - m)match LED's | | |
| 155 | 0620054 | | Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts | 1 | 127.07 |
| | 0648074 | | Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts | 1 | 0.00 |
| | 0627282 | | Lights, Clearance/Marker/ID, Rear, FRP LED Bar & P25 LED 4Lts | 1 | 0.00 |
| | 0564683 | | Lights, Tail, Whelen M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir Arw For Hsg | 1 | 785.41 |
| | | | Color, Lens - Colored | • | . 50 |
| 159 | 0561471 | | Lights, Backup, Whelen M6BUW, LED, For Tail Lt Housing | 1 | 535.08 |
| | 0664481 | | Bracket, License Plate & Light, P25 LED | 1 | 78.99 |
| 161 | 0556842 | | Bezels, Whelen, (2) M6 Chrome Pierce, For mtg (4) Whelen M6 lights | 1 | 579.61 |
| 162 | 0589905 | | Alarm, Back-up Warning, PRECO 1040 | 1 | 0.00 |
| | 0666455 | | Lights, Perimeter Cab, Amdor AY-9500-020 LED 4Dr | 1 | 762.49 |

| | Option | Туре | Option Description | Qty | Price |
|-----|---------|------|--|-----|-----------|
| | 0616847 | | Lights, Perimeter Pump House, Amdor AY-9500-0** LED 4lts | 1 | 631.24 |
| 165 | 0645995 | | Lights, Perimeter Body, Amdor AY-9500-020 LED 2lts, Rear Step | 1 | 361.25 |
| | | | Control, Perimeter Lts - Parking Brake Applied | | |
| | 0556360 | | Lights, Step, P25 LED 4lts, Pump Pnl Sw | 1 | 430.98 |
| 167 | 0662711 | | Light, Whelen, 12V PFP1P* Pioneer LED Fldlt, Pole Mt 1st | 2 | 4,241.67 |
| | | | Qty, - 02 | | |
| | | | Switch, Lt Control 1 DC,1 - a) DS Switch Panel | | |
| | | | Switch, Lt Control 2 DC,2 - k) PS Pump Panel | | |
| | | | Switch, Lt Control 3 DC,3 - d) No Control | | |
| | | | Switch, Lt Control 4 DC,4 - d) No Control Color, Wln Lt Housing - White Paint | | |
| | | | Poles, W - Thru Body/Surface Mount, Top Adjust Pull-Up | | |
| | | | Handle Holder and Up Ind Sw W - Without Handle Holder | | |
| | | | Pole Length W - 12.00" Outside Pole | | |
| | | | Location, Pole Lights - DS & PS Top Mnt Pnl | | |
| 168 | 0689891 | | Lights, Deck, Whelen (2) PFBP12C LED Rear Flood Lights | 1 | 1,147.41 |
| | | | Switch, Scene Lt Cntrl - h)switch at rear | | |
| 169 | 0645676 | | Lights, Not Required, Hose Bed, Deck Lights At Rear | 1 | 0.00 |
| 170 | 0645681 | | Lights, Not Required, Rear Work, Deck Lights At Rear | 1 | 0.00 |
| 171 | 0709438 | | Light, Walking Surface, FRP Flood, LED | 1 | 0.00 |
| 172 | 0060016 | | Pumper, Long, Alum, 2nd Gen | 1 | 57,440.46 |
| 173 | 0554271 | | Body Skirt Height, 20" | 1 | 0.00 |
| 174 | 0028297 | | Tank, Water, 750 Gallon, Poly, Long | 1 | 8,998.82 |
| 175 | 0003405 | | Overflow, 4" Water Tank, Poly | 1 | 0.00 |
| 176 | 0028107 | | Not Required, Foam Cell Modification | 1 | 0.00 |
| 177 | 0633066 | | Sleeve through Tank | 1 | 352.18 |
| | | | Qty, Sleeve - 1 | | |
| | | | Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing | | |
| 178 | 0553729 | | Not Required, Restraint, Water Tank, Heavy Duty | 1 | 0.00 |
| 179 | 0003429 | | Not Required, Direct Tank Fill | 1 | 0.00 |
| 180 | 0003424 | | (No Dump Valve required) | 1 | 0.00 |
| 181 | 0048710 | | Jet Assist Not Req'd | 1 | 0.00 |
| 182 | 0030007 | | (No Dump Chute Required) | 1 | 0.00 |
| 183 | 0514778 | | Not Required, Switch, Tank Dump Master | 1 | 0.00 |
| 184 | 0126633 | | Hose Bed, Aluminum, Pumper | 1 | 0.00 |
| 185 | 0627877 | | Hose Bed Capacity, 1000' of 5.00", 1000' of 3.00" | 1 | 0.00 |
| 186 | 0003488 | | Divider, Hose Bed, Unpainted | 2 | 1,036.96 |
| | | | Qty, Hosebed Dividers - 2 | | , |
| 187 | 0589278 | | Hose Restraint, Hose Bed, Velcro Strap on Top, 2" Heavy Nylon Web at Rear | 1 | 630.10 |
| | | | Type of fastener - seat belt buckle | | |
| | | | Nylon Web Color - Black | | |
| | | | Type of fastener, Rear - seat belt buckle - bottom of hosebed | | |
| | 0010133 | | Cross-Divider, Hose Bed | 1 | 474.42 |
| 189 | 0089471 | | Cutout, Handhold, in Hose Bed Divider | 2 | 133.47 |
| | | | Qty, - 02 | | |
| | 0013512 | | Running Boards, 12.75" Deep | 1 | 0.00 |
| | 0689497 | | Tailboard, T-Shaped, 24" & 8" Deep, Angled Corners | 1 | 1,243.67 |
| 192 | 0690037 | | Wall, Rear, Smooth Aluminum/Body Material | 1 | 0.00 |
| 400 | | | Material, Rear Wall Inboard Facing Surfaces - Aluminum Diamondplate | | |
| | 0003531 | | Tow Bar, Under Tailboard | 1 | 289.74 |
| | 0003561 | | Construction, Compt, Alum, Pumper | 1 | 0.00 |
| | 0083691 | | DS 161" Rollup, Full Height & Depth Front & Rear | 1 | 8,700.61 |
| | 0063669 | | PS 161" Rollup, Full Height Front & Rear, FDLER | 1 | 8,524.39 |
| 197 | 0692733 | | Doors, Rollup, Gortite, Side Compartments | 6 | -934.45 |
| | | | Qty, Door Accessory - 06 | | |
| | | | Color,Gortite,Roll-upDoor - Satin finish | | |
| 400 | 0000700 | | Latch, Gortite, Roll-up - Non-locking Liftbar | | |
| | 0083700 | | Rear, Rollup, 37.75" FF | 1 | 0.00 |
| 199 | 0692746 | | Doors, Gortite, Rollup, Rear Compartment | 1 | -155.74 |
| | | | Color,Gortite,Roll-upDoor - Satin finish | | |
| 200 | 0554005 | | Latch, Gortite, Roll-up - Non-locking Liftbar | 4 | 2.00 |
| /UU | 0554995 | | No Body Modification Required | 1 | 0.00 |

| | Option | Type | Option Description | Qty | Price |
|-----|--------------------|------|--|--------|--------------------|
| 201 | 0625184 | | Guard, Drip Pan, S/S, Rollup Door, Pumper | 7 | 972.57 |
| | | | Qty, Door Accessory - 07 | | |
| 000 | 0040070 | | Location, Door Guard/Drip Pan - D3, D2, D1, R1, P3, P2 and P1 | ~ | |
| 202 | 0616670 | | Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker | 7 | 1,392.87 |
| | | | Qty, - 07 | | |
| 203 | 0687146 | | Location, Compartment Lights - All Body Compts Shelf Tracks, Painted | 7 | 012 27 |
| 200 | 0007 140 | | Qty, Shelf Track - 07 | , | 913.27 |
| | | | Location, Shelf Track - D3, D2, D1, R1, P1, P2 and P3 | | |
| 204 | 0600350 | | Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations | 7 | 1,363.97 |
| | | | Qty, Shelf - 07 | | , |
| | | | Material Finish, Shelf - Painted - Spatter Gray | | |
| | | | Location, Shelves/Trays, Predefined - D1-Upper Third, D3-Centered Floor | | |
| | | | to Ceiling, D3-Lower Third, D3-Upper Third, P1-Centered Floor to Ceiling, P3- | | |
| 205 | 0540317 | | Centered Floor to Ceiling and P3-Upper Third | 4 | 4.074.25 |
| 200 | 0340317 | | Toolboard, Swing-out, Alum, .188", Peg Board Finish - Painted, Compt Interior, Spatter Gray | 1 | 1,074.35 |
| | | | Qty - 1 | | |
| | | | Location, Pivot - Front | | |
| | | | Mounting, Toolboard - Adjustable Frt-back | | |
| | | | Location, Toolboard - P2 | | |
| 206 | 0024016 | | Rub Rail, Aluminum Extruded, Side & Rear of Body | 1 | 255.46 |
| 207 | 0004024 | | Fender Crowns, Rear, S/S | 1 | 850.58 |
| 208 | 0519849 | | Not Required, Hose, Hard Suction | 1 | 0.00 |
| 209 | 0625546 | | Handrails, Top Mount Pump Panel, Per Print | 1 | 0.00 |
| 210 | 0004126 | | Handrails, Beavertail, Standard | 1 | 0.00 |
| 211 | 0004146 | | Handrail, Rear, Below Hose Bed, Full Width | 1 | 0.00 |
| 212 | 0657651 | | Compt, Air Bottle, Double, Full Width Door, Fender Panel | 2 | 2,004.49 |
| | | | Qty, Air Bottle Comp - 2 | | |
| | | | Door Finish, Fender Compt - Polished | | |
| | | | Location, Fender Compt - Double - PS Fwd and Double - PS Rear | | |
| | | | Latch, Air Bottle Compt - Southco C2, Chrome, Non-Locking | | |
| 242 | 0004225 | | Insert, Air Bottle Compt - Rubber Matting | 4 | 050.54 |
| | 0004223 | | Ladder, 24' Duo-Safety 900A 2-Section Ladder, 14' Duo-Safety 775A Roof | 1 1 | 950.54 464.26 |
| | 0004250 | | Ladders Btwn Tank & S.Sht, Ext'd Rr, Encl'd Complete, RPH, PS | 1 | 4,743.80 |
| 210 | 0043330 | | Door, Material & Finish, Ladder Storage - c) smooth aluminum | ' | 4,743.00 |
| | | | Latch, Door Ladder Storage - "D" Handle latch | | |
| 216 | 0014245 | | Ladder, 10' Duo-Safety Folding 585A, w/Mounting | 1 | 746.23 |
| | | | Location, Folding Ladder - d) Ladder comp | • | . 10.20 |
| 217 | 0602877 | | Pike Pole, Pumper, Provided by Fire Department, NFPA 2016 | 1 | 0.00 |
| | | | Pike Pole Make/Model - Akron 10' Pike Pole | | |
| 218 | 0602875 | | Pike Pole, 6', Pumper, Provided by Fire Department, NFPA 2016 | 1 | 0.00 |
| | | | Pike Pole Make/Model - Akron 6' Pike Pole | | |
| 219 | 0004361 | | Tubes, Alum, Pike Pole Storage | 2 | 334.89 |
| | | | Qty, Pike Pole Tubes - 02 | | |
| | 0500070 | | Location, Pike Pole Tube - Ladder Storage | | |
| 220 | 0593072 | | Steps, Folding, Front of Body, w/LED, Trident | 1 | 18.42 |
| 004 | 0500004 | | Coating, Step - black | | |
| 221 | 0592994 | | Steps, Folding, Rear of Body, w/LED, Trident | 1 | 9.21 |
| 222 | 0004425 | | Coating, Step - black | 4 | 20 700 02 |
| | 0004425 | | Pump, Waterous, CSU, 1500 GPM, Single Stage | 1 | 30,729.93 |
| | | | Packing, Grafoil, Waterous | 1 | 0.00 |
| | 0559769 0635600 | | Transmission, Pump, Waterous C20 Series | 1 | 0.00 |
| | 0605126 | | Pumping Mode, Stationary Only Pump Shift Air w/Manual Override, Split Shaft, Interlocked, Waterous | 1 | 0.00 |
| | 0003148 | | Pump Shift, Air w/Manual Override, Split Shaft, Interlocked, Waterous | 1 | 405.26 |
| | 0003148 | | Transmission Lock-up, EVS | 1 | 0.00 |
| | 0004547 | | Auxiliary Cooling System Not Required Transfer Valve, Stage Pump | 1 | 0.00 |
| | 0004517 | | Not Required, Transfer Valve, Stage Pump | 1 | 0.00 |
| | 0546803 | | Valve, Relief Intake, Elkhart, Set @ 125 PSI Controller, Pressure, Class 1 Total Pressure Governor (TPG) | 1 | 2,611.03 |
| | 0072153 | | Primer, Trident, Air Prime, Air Operated | 1 1 | 3,239.19 652.01 |
| 202 | 3012100 | | rance, mone, an important operated | 1 | 002.01 |

| Line Option | Type Option Description | Qty | Price |
|----------------|--|-----|-----------|
| 233 0058516 | Manuals, Pump (2), CD | 1 | 0.00 |
| 234 0602512 | Plumbing, Stainless Steel and Hose, Single Stage Pump, Control Zone | 1 | 0.00 |
| 235 0089437 | Plumbing without Foam System | 1 | 0.00 |
| 236 0004645 | Inlets, 6.00" - 1250 GPM or Larger Pump | 1 | 0.00 |
| 237 0004646 | Cap, Main Pump Inlet, Long Handle, NST, VLH | 1 | 0.00 |
| 238 0084610 | Valves, Akron 8000 series- All | 1 | 0.00 |
| 239 0004660 | Inlet, Left Side, 2.50" | 1 | 1,225.03 |
| 240 0029147 | Not Required, Inlet, Right Side | 1 | 0.00 |
| 241 0004687 | Valve, Inlet(s) Recess,Top Mount | 1 | 0.00 |
| 242 0004710 | Control, Inlet, at Top Mount Panel Qty, Inlets - 2 | 2 | 0.00 |
| 243 0092569 | No Rear Inlet (Large Dia) Requested | 1 | 0.00 |
| 244 0092696 | Not Required, Cap, Rear Inlet | 1 | 0.00 |
| 245 0064116 | No Rear Inlet Actuation Required | 1 | 0.00 |
| 246 0009648 | No Rear Intake Relief Valve Required on Rear Inlet | 1 | 0.00 |
| 247 0092568 | No Rear Auxiliary Inlet Requested | 1 | 0.00 |
| 248 0563738 | Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle | 1 | 0.00 |
| 249 0029043 | Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing | 1 | 0.00 |
| 250 0004905 | Outlet, 1.50" Tank Fill | 1 | 585.02 |
| 251 0004940 | Outlet, Left Side, 2.50" | 2 | 3,517.52 |
| | Qty, Discharges - 02 | | 3,0 17132 |
| 252 0092570 | Not Required, Outlets, Left Side Additional | 1 | 0.00 |
| 253 0004945 | Outlet, Right Side, 2.50" | 2 | 3,517.52 |
| | Qty, Discharges - 02 | | |
| 254 0092571 | Not Required, Outlets, Right Side Additional | 1 | 0.00 |
| 255 0029137 | Not Required, Outlet, Large Diameter | 1 | 0.00 |
| 256 0649939 | Outlet, Front, 1.50" w/2.00" Plumbing | 1 | 2,358.32 |
| | Fitting, Outlet - 1.50" NST with 90 degree swivel Drain, Front Outlet - Class 1 Automatic Location, Front, Single - top of left bumper | | |
| 257 0004995 | Outlet, Rear, 2.50" Qty, Discharges - 01 | 1 | 2,084.08 |
| 258 0092574 | Location, Outlet - b) driver's side Not Required, Outlet, Rear, Additional | 1 | 0.00 |
| 259 0092573 | Not Required, Outlet, Real, Additional Not Required, Outlet, Hose Bed/Running Board Tray | 1 | 0.00 |
| 260 0085076 | Caps for 1.50" to 3.00" Discharge, VLH | 1 | 0.00 |
| 261 0563739 | Valve, 0.75" Bleeder, Discharges, Swing Handle | 1 | 0.00 |
| 262 0005091 | Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 | 0.00 |
| 263 0035094 | Not Required, Elbow, Left Side Outlets, Additional | 1 | 0.00 |
| 264 0025091 | Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 | 0.00 |
| 265 0089584 | Not Required, Elbow, Right Side Outlets, Additional | 1 | 0.00 |
| 266 0045091 | Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 | 0.00 |
| 267 0085695 | Not Required, Elbow, Rear Outlets, Large, Additional | 1 | 0.00 |
| 268 0007308 | Not Required, Elbow, Real Outlets, Large, Additional Not Required, Elbow, Large Diameter Outlet | 1 | 0.00 |
| | Control, Outlets, Manual, Pierce HW if applicable | 1 | |
| 269 0062133 | | 1 | 0.00 |
| 270 0005065 | Outlet, 3.00" Deluge Riser | · | 2,040.03 |
| 271 0563671 | Monitor, Akron 3431 Hi-Riser- No Ground Base | 1 | 3,581.73 |
| 272 0046968 | Nozzle, Akron 2499, Quad Stacked Tips and 3488 shaper | 1 | 913.69 |
| 273 0005070 | Deluge Mount, NPT | 1 | 0.00 |
| 274 0029167 | Crosslays Sngl Sheet Unpainted, (2+) 1.50", Std. Cap Qty, Crosslays - 2 | 2 | 4,716.38 |
| 275 0029196 | Not Required, 2.50" Crosslay | 1 | 0.00 |
| 276 0029260 | Not Required, Speedlays | 1 | 0.00 |
| 277 0591145 | Hose Restraint, Crosslay/Deadlay, Top and Ends, Elastic Netting Qty, - 02 | 2 | 332.63 |
| 278 0019853 | Crosslays, 8.00" Lower Than Standard - Control Zone with 9.00" Raised PH | 1 | 745.51 |
| 279 0015248 | Reel, Booster, Rear Compt.,Steel, 2" Plb,Roll-up Door Finish, Reel - Painted Gray | 1 | 3,255.37 |
| 280 0005279 | Switch, Reel Rewind - One at Reel | 1 | 0.00 |
| 281 0005300 | Hose, Booster - 150' of 1.00"/800 PSI | 1 | 0.00 |
| 282 0005244 | Capacity, Hose Reel 200' of 1" | 1 | 0.00 |
| 6/30/2016 8:30 | | | 2027 |

| Line Option 1 | ype Option Description | Qty | Price |
|---------------|--|-----|----------|
| 283 0007074 | Nozzle, Elkhart S-200 1.00" | 1 | 359.21 |
| 284 0044333 | Not Required, Foam System | 1 | 0.00 |
| 285 0012126 | Not Required, CAF Compressor | 1 | 0.00 |
| 286 0552517 | Not Required, Refill, Foam Tank | 1 | 0.00 |
| 287 0042573 | Not Required, Foam System Demonstration | 1 | 0.00 |
| 288 0045465 | Not Required, Foam Tanks | 1 | 0.00 |
| 289 0091110 | Not Required, Foam Tank Drain | 1 | 0.00 |
| 290 0091079 | Not Required, Foam Tank #2 | 1 | 0.00 |
| 291 0091112 | Not Required, Foam Tank Drain | 1 | 0.00 |
| 292 0018624 | Pump House, Top Mount, 45", w/19" Walkway, Control Zone | 1 | 7,900.87 |
| | Light, Walkway Compt - P25 LED Light, Walkway - P25 LED, 6lts Location, Walkway Lights - Back Of Cab | | |
| 293 0032479 | Pump Panel Configuration, Control Zone | 1 | 0.00 |
| 294 0635253 | Material, Pump Panels, Top Control Painted FormCoat Black, Side Panels Painted | 1 | 0.00 |
| 294 0000200 | Material, Fump Panel, Side Control - Painted FormCoat Black Material, Pump Panel, Side Control - Aluminum Material, Pump Panel, Top Control - Aluminum Material Finish, Pump Panel, Top Control - Painted FormCoat Black | 1 | 0.00 |
| 295 0035574 | Panel, Pump Access - Both Sides | 1 | 0.00 |
| 296 0532267 | Raise Pump House Structure w/6" raised walkway | 1 | 577.80 |
| 297 0583824 | Light, Pump Compt, Whelen 3SC0CDCR LED White | 1 | 158.39 |
| | Qty, - 01 | · | |
| 298 0586382 | Gauges, Engine, Included With Pressure Controller | 1 | -166.80 |
| 299 0005601 | Throttle Included w/ Pressure Controller | 1 | 0.00 |
| 300 0549333 | Indicators, Engine, Included with Pressure Controller | 1 | 0.00 |
| 301 0511078 | Gauges, 4.00" Master, Class 1, 30"-0-600psi | 1 | 0.00 |
| 302 0511100 | Gauge, 2.00" Pressure, Class 1, 30"-0-400psi | 1 | 0.00 |
| 303 0062586 | Gauge, Water Level, Class 1, Pierce Std | 1 | 540.67 |
| 304 0006774 | Not Required, Foam Level Gauge | 1 | 0.00 |
| 305 0648885 | Light Shield, Top Mt, LED Strip Lights | 1 | 152.08 |
| 306 0606696 | Air Horns, (2) Grover, Stutter Tone, In Bumper | 1 | 1,138.84 |
| 307 0606835 | Location, Air Horns, Bumper, Each Side, Outside Frame, Outboard (Pos #1 & #7) | 1 | 0.00 |
| 308 0006063 | Control, Air Horn, Horn Ring, PS Foot Sw | 1 | 408.34 |
| 309 0525667 | Siren, Whelen 295SLSA1, 100 or 200 Watt | 1 | 528.23 |
| 310 0510206 | Location, Elect Siren, Recessed Overhead In Console | 1 | 0.00 |
| 310 0310200 | | ' | 0.00 |
| 311 0076156 | Location, Elec Siren - Overhead, DS Inside Sw Pnl Control, Elec Siren, Head Only | 1 | 0.00 |
| 312 0581959 | Speaker, Whelen SA315P w/Pierce Polished Stainless Steel Grille, 100 watt | 1 | 643.15 |
| 312 0301939 | Qty, Speakers - 1 Connection, Speaker - siren head | 1 | 043.13 |
| 313 0548456 | Location, Recessed in the Front Bumper, Center | 1 | 0.00 |
| 314 0606775 | Lightbar, Whelen, Freedom IV-Q, 72", RRWRRRRRRWRR | 1 | 5,039.91 |
| | Filter, Whl Freedom Ltbrs - No Filters | | |
| 315 0540460 | Light, Front Zone, Whelen M6*C LED, Clear Lens, 4lts Q Bezel Color, Lt DS Fmt Outside - DS Front Outside Red Color, Lt PS Frnt Outside - PS Front Outside Red Color, Lt DS Front Inside - r) DS Front Inside Red | 1 | 1,841.94 |
| | Color, Lt PS Front Inside - r) PS Front Inside Red | | |
| 316 0653937 | Flasher, Headlight Alternating Headlt flash deactivation - a)w/high beam | 1 | 103.54 |
| 317 0540679 | Lights, Side Zone Lower, Whelen M6*C LED, Clear Lens 2pr Location, Lights Front Side - b)each side bumper Color, Lt Side Front - Red Color, Lt Side Rear - Red | 1 | 1,387.67 |
| 318 0564655 | Location, Lights Rear Side - Over Rear Wheels Lights, Rear Zone Lower, Whelen M6*C LED, Clear Lens, For Tail Lt Housing | 1 | 687.71 |
| | Color, Lt DS Rear - r) DS Rear Lt Red Color, Lt PS Rear - r) PS Rear Lt Red | | |
| 319 0691764 | Light, Rear Zone Upper, Whelen L31H*F LED Beacon, Amber DS/Red PS Color, Dome, Rear Warning - j) both domes clear | 1 | 1,693.50 |
| 320 0006551 | Not Required, Lights, Rear Upper Zone Blocking | 1 | 0.00 |

| Line | Option | Type | Option Description | Qty | Price |
|------|--------------------|------|---|-----------|----------|
| 321 | 0006615 | | Mtg, Rear Warn Lts, On Top of Compt | 1 | 0.00 |
| 322 | 0519934 | | Not Required, Brand, Hydraulic Tool System | 1 | 0.00 |
| 323 | 0649753 | | Not Required, PTO Driven Hydraulic Tool System | 1 | 0.00 |
| 324 | 0007150 | | Bag of Nuts and Bolts | 1 | 0.00 |
| | | | Qty, Bag Nuts and Bolts - 1 | | |
| 325 | 0602516 | | NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department | 1 | 0.00 |
| 326 | 0602407 | | Soft Suction Hose, Provided by Fire Department, Pumper NFPA 2016 Classification | 1 | 0.00 |
| | 0027023 | | No Strainer Required | 1 | 0.00 |
| | 0602538 | | Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire Department | 1 | 0.00 |
| | 0602360 | | Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016, Provided by Fire Dept | 1 | 0.00 |
| | 0602679 | | Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department | 1 | 0.00 |
| 331 | 0602667 | | Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department | 1 | 0.00 |
| | 0559682 | | Paint, Two Tone, Cab, w/Shield, Custom Cab | 1 | 1,091.18 |
| | | | Paint Color, Predefined - #90 Red | | 1,001110 |
| | | | Paint Color, Upper Area, Predefined - #10 White | | |
| 333 | 0646897 | | Paint Chassis Frame Assy, E-Coat, Standard | 1 | 344.51 |
| | | | Paint Color, Frame Assembly, Predefined - Black | | |
| 334 | 0693798 | | Paint, Front Wheels | 1 | 198.03 |
| | | | Paint, Wheels - Red #90 | | |
| 335 | 0693793 | | Paint, Rear Wheels, Single Axle | 1 | 398.38 |
| | | | Paint, Wheels - Red #90 | | |
| | 0007230 | | Compartment, Painted, Spatter Gray | 1 | 0.00 |
| 337 | 0544129 | | Reflective Band, 1"-6"-1" | 1 | 429.71 |
| | | | Color, Reflect Band - A - a) white | | |
| | | | Color, Reflect Band - B - I) white | | |
| 338 | 0510041 | | Color, Reflect Band - C - w) white | 1 | 111 01 |
| | 0536954 | | Reflective across Cab Face, Imp/Vel | 1 1 | 111.84 |
| 333 | 0550554 | | Stripe, Chevron, Rear, Diamond Grade, Pumper Color, Rear Chevron DG - fluorescent yellow green | ' | 781.07 |
| 340 | 0065687 | | Stripe, Reflective, Cab Doors Interior | 1 | 152.96 |
| 5-10 | 0000001 | | Color, Reflective - a) white | • | 132.90 |
| 341 | 0027372 | | Lettering Specifications, (GOLD STAR Process) | 1 | 0.00 |
| | 0686426 | | Lettering, Gold Leaf, 3.00", (61-80) | 1 | 1,429.69 |
| | | | Outline, Lettering - Highlight and Shade | | ., |
| 343 | 0685552 | | Lettering, Printed Effect Gold Leaf, 6.00", (21-40) | 1 | 1,066.58 |
| | | | Outline, Lettering - Highlight and Shade | | |
| 344 | 0695610 | | Emblem, Reflective, Per Dept. Submittal, Each | 2 | 408.39 |
| | | | Qty, - 02 | | |
| | | | Location, Emblem - To match previous job number 27419 | | |
| 0.45 | 0500005 | | Size, Dept Seal, Reflect - 12" - 14" | .38 | 222.22 |
| | 0529225 | | Manuals, Two (2) CD, Fire Apparatus Parts, Custom Chassis | 1 | 369.96 |
| | 0531636 | | Manual, Two (2) CD, Chassis Service, Custom | 1 | 935.93 |
| | 0531638 | | Manual, Two (2) CD, Chassis Operation, Custom | 1 | 0.00 |
| | 0030008 | | Warranty, Basic, 1 Year, Apparatus, WA0008 | 1 | 0.00 |
| | 0611136 | | Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 | 1 | 0.00 |
| | 0696698 | | Warranty, Engine, Cummins, 5 Year, WA0181 | 1 | 0.00 |
| | 0684953 | | Warranty, Steering Gear, Sheppard M110, 3 Year WA0201 | 1 | 0.00 |
| | 0595767 0595698 | | Warranty, Frame, 50 Year, Velocity/Impel, Dash CF, WA0038 Warranty, Axle, 3 Year, TAK-4, WA0050 | 1 | 0.00 |
| | 0530524 | | Warranty, Axle, 2 Year, Meritor, General Service, WA0046 | 1 | 0.00 |
| | 0652758 | | Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232 | ì | 0.00 |
| | 0032738 | | Warranty, Structure, 10 Year, Custom Cab, WA0012 | i | 0.00 |
| | 0595813 | | Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055 | 1 | 0.00 |
| | 0524627 | | Warranty, Electronics, 5 Year, MUX, WA0014 | 1 | 0.00 |
| | 0647720 | | Warranty, Pierce LED Strip Lights, WA0203 | 1 | 0.00 |
| | 0047720 | | Warranty, 5-year EVS Transmission, Standard Custom, WA0187 | i | 0.00 |
| | 0685945 | | Warranty, Transmission Cooler, WA0216 | 1 | 0.00 |
| | 0688798 | | Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195 | 1 | 0.00 |
| | 0596025 | | Warranty, Structure, 10 Year, Body, WA0009 | 1 | 0.00 |
| | 0693127 | | Warranty, Gortite, Roll-up Door, 6 Year, WA0190 | 1 | 0.00 |
| | | | | <u>\$</u> | 0.00 |

6/30/2016 8:39 AM Bid #: 441 Page9

| 366 0648675 Warranty, 10 Year S/S Pumbing, WA0035 1 0.0 367 0641372 Warranty, Foam System, Not Available 1 0.0 368 0595820 Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 1 0.0 369 0595421 Warranty, Goldstar, 3 Year, Apparatus, WA0018 1 0.0 370 0683627 Certification, Vehicle Stability, CD0089 1 0.0 371 0610739 Certification, Engine Installation, Imp/Vel, Cummins ISL9, 2016, CD0112 1 0.0 372 0686786 Certification, Engine Installation, Imp/Vel, Cummins ISL9, 2016, CD0112 1 0.0 373 0667418 Certification, Cab Integrity, Impel FR, CD0009 1 0.0 374 0549896 Certification, Cab Door Durability, Velocity/Impel, CD0001 1 0.0 376 0667411 Certification, Electric Window Durability, Velocity/Impel FR, CD0004 1 0.0 377 0549273 Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 1 0.0 378 0667416 Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016 1 0.0 380 0645073 Amp Draw Report, NFPA Current Edition 1 </th <th>Line</th> <th>Option</th> <th>Туре</th> <th>Option Description</th> <th>Qty</th> <th>Price</th> | Line | Option | Туре | Option Description | Qty | Price |
|--|------|---------|------|---|-----|-------|
| 367 0641372 Warranty, Foam System, Not Available 1 0.0 368 0595820 Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 1 0.0 369 0595421 Warranty, Goldstar, 3 Year, Apparatus, WA0018 1 0.0 370 0683627 Certification, Vehicle Stability, CD0089 1 0.0 371 0610739 Certification, Engine Installation, Imp/Vel, Cummins ISL9, 2016, CD0112 1 0.0 372 0686786 Certification, Engine Installation, Imp/Vel, Cummins ISL9, 2016, CD0112 1 0.0 373 0667418 Certification, Cab Integrity, Impel FR, CD0009 1 0.0 374 0548950 Certification, Cab Integrity, Impel FR, CD0001 1 0.0 375 0548967 Certification, Windshield Wiper Durability, Velocity/Impel, CD0005 1 0.0 376 0667411 Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 1 0.0 378 0667416 Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015 1 0.0 379 0667415 Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016 1 0.0 380 0545073 Amp Draw, NFPA/ULC Radio Allowance | 365 | 0063510 | | Warranty, Pump, Waterous, 5 Year Parts, WA0225 | 1 | 0.00 |
| 368 0595820 Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 1 0.0 369 0595421 Warranty, Goldstar, 3 Year, Apparatus, WA0018 1 0.0 370 0683627 Certification, Vehicle Stability, CD0089 1 0.0 371 0610739 Certification, Engine Installation, Imp/Vel, Cummins ISL9, 2016, CD0112 1 0.0 372 0686786 Certification, Power Steering, CD0098 1 0.0 373 0667418 Certification, Cab Door Durability, Velocity/Impel, CD0001 1 0.0 374 0548950 Certification, Cab Door Durability, Velocity/Impel, CD0005 1 0.0 375 0548967 Certification, Windshield Wiper Durability, Impel/Velocity, CD0005 1 0.0 376 0667411 Certification, Electric Window Durability, Velocity/Impel FR, CD0004 1 0.0 377 0549273 Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 1 0.0 378 0667416 Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015 1 0.0 380 0545073 Amp Draw Report, NFPA Current Edition 1 0.0 381 0002758 Amp Draw, NFPA/ULC Radio Allowance 1 | 366 | 0648675 | | Warranty, 10 Year S/S Pumbing, WA0035 | 1 | 0.00 |
| 369 0595421 Warranty, Goldstar, 3 Year, Apparatus, WA0018 1 0.0 370 0683627 Certification, Vehicle Stability, CD0089 1 0.0 371 0610739 Certification, Engine Installation, Imp/Vel, Cummins ISL9, 2016, CD0112 1 0.0 372 0686786 Certification, Power Steering, CD0098 1 0.0 373 0667418 Certification, Cab Integrity, Impel FR, CD0009 1 0.0 374 0548950 Certification, Cab Door Durability, Velocity/Impel, CD0001 1 0.0 375 0548967 Certification, Windshield Wiper Durability, Velocity/Impel FR, CD0005 1 0.0 376 0667411 Certification, Electric Window Durability, Velocity/Impel FR, CD0004 1 0.0 377 0549273 Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 1 0.0 379 0667416 Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015 1 0.0 380 0545073 Amp Draw Report, NFPA Current Edition 1 0.0 381 0002758 Amp Draw, NFPA/ULC Radio Allowance 1 0.0 382 0799248 Appleton/Florida BTO 1 0.0 < | 367 | 0641372 | | Warranty, Foam System, Not Available | 1 | 0.00 |
| 370 0683627 Certification, Vehicle Stability, CD0089 1 0.0 371 0610739 Certification, Engine Installation, Imp/Vel, Cummins ISL9, 2016, CD0112 1 0.0 372 0686786 Certification, Power Steering, CD0098 1 0.0 373 0667418 Certification, Cab Integrity, Impel FR, CD0009 1 0.0 374 0548950 Certification, Cab Door Durability, Velocity/Impel, CD0001 1 0.0 375 0548967 Certification, Windshield Wiper Durability, Impel/Velocity, CD0005 1 0.0 376 0667411 Certification, Electric Window Durability, Velocity/Impel FR, CD0004 1 0.0 377 0549273 Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 1 0.0 378 0667416 Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015 1 0.0 379 0667415 Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016 1 0.0 380 0545073 Amp Draw Report, NFPA Current Edition 1 0.0 381 0002758 Amp Draw, NFPA/ULC Radio Allowance 1 0.0 382 0799248 Appleton/Florida BTO 1 <t< td=""><td>368</td><td>0595820</td><td></td><td>Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057</td><td>1</td><td>0.00</td></t<> | 368 | 0595820 | | Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 | 1 | 0.00 |
| 371 0610739 Certification, Engine Installation, Imp/Vel, Cummins ISL9, 2016, CD0112 1 0.0 372 0686786 Certification, Power Steering, CD0098 1 0.0 373 0667418 Certification, Cab Integrity, Impel FR, CD0009 1 0.0 374 0548950 Certification, Cab Door Durability, Velocity/Impel, CD0001 1 0.0 375 0548967 Certification, Windshield Wiper Durability, Impel/Velocity, CD0005 1 0.0 376 0667411 Certification, Electric Window Durability, Velocity/Impel FR, CD0004 1 0.0 377 0549273 Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 1 0.0 378 0667416 Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0015 1 0.0 379 0667415 Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016 1 0.0 381 0002758 Amp Draw, NEPA/ULC Radio Allowance 1 0.0 382 0799248 Appleton/Florida BTO 1 0.0 383 000018 PUMPER, 2ND GEN 1 0.0 384 0000012 PIERCE CHASSIS 1 0.0 <td< td=""><td>369</td><td>0595421</td><td></td><td>Warranty, Goldstar, 3 Year, Apparatus, WA0018</td><td>1</td><td>0.00</td></td<> | 369 | 0595421 | | Warranty, Goldstar, 3 Year, Apparatus, WA0018 | 1 | 0.00 |
| 372 0686786 Certification, Power Steering, CD0098 1 0.0 373 0667418 Certification, Cab Integrity, Impel FR, CD0009 1 0.0 374 0548950 Certification, Cab Door Durability, Velocity/Impel, CD0001 1 0.0 375 0548967 Certification, Windshield Wiper Durability, Impel/Velocity, CD0005 1 0.0 376 0667411 Certification, Electric Window Durability, Velocity/Impel FR, CD0004 1 0.0 377 0549273 Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 1 0.0 378 0667416 Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015 1 0.0 379 0667415 Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016 1 0.0 381 0002758 Amp Draw, NFPA/ULC Radio Allowance 1 0.0 382 0799248 Appleton/Florida BTO 1 0.0 383 000018 PUMPER, 2ND GEN 1 0.0 384 0000012 PIERCE CHASSIS 1 0.0 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 387 0020011 WATEROUS PUMP | 370 | 0683627 | | Certification, Vehicle Stability, CD0089 | 1 | 0.00 |
| 373 0667418 Certification, Cab Integrity, Impel FR, CD0009 1 0.0 374 0548950 Certification, Cab Door Durability, Velocity/Impel, CD0001 1 0.0 375 0548967 Certification, Windshield Wiper Durability, Impel/Velocity, CD0005 1 0.0 376 0667411 Certification, Electric Window Durability, Velocity/Impel FR, CD0004 1 0.0 377 0549273 Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 1 0.0 378 0667416 Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015 1 0.0 379 0667415 Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016 1 0.0 380 0545073 Amp Draw Report, NFPA Current Edition 1 0.0 381 0002758 Amp Draw, NFPA/ULC Radio Allowance 1 0.0 382 0799248 Appleton/Florida BTO 1 0.0 384 000018 PUMPER, 2ND GEN 1 0.0 385 0004713 ENGINE, OTHER 1 0.0 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 388 002009 POLY TANK | 371 | 0610739 | | Certification, Engine Installation, Imp/Vel, Cummins ISL9, 2016, CD0112 | 1 | 0.00 |
| 374 0548950 Certification, Cab Door Durability, Velocity/Impel, CD0001 1 0.0 375 0548967 Certification, Windshield Wiper Durability, Impel/Velocity, CD0005 1 0.0 376 0667411 Certification, Electric Window Durability, Velocity/Impel FR, CD0004 1 0.0 377 0549273 Certification, Seat Belt Anchors and Mounting, Impr/Vel/Vel SLT, CD0018 1 0.0 378 0667416 Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015 1 0.0 379 0667415 Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016 1 0.0 380 0545073 Amp Draw Report, NFPA Current Edition 1 0.0 381 0002758 Amp Draw, NFPA/ULC Radio Allowance 1 0.0 382 0799248 Appleton/Florida BTO 1 0.0 384 000012 PIERCE CHASSIS 1 0.0 385 0004713 ENGINE, OTHER 1 0.0 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 <td< td=""><td>372</td><td>0686786</td><td></td><td>Certification, Power Steering, CD0098</td><td>1</td><td>0.00</td></td<> | 372 | 0686786 | | Certification, Power Steering, CD0098 | 1 | 0.00 |
| 375 0548967 Certification, Windshield Wiper Durability, Impel/Velocity, CD0005 1 0.0 376 0667411 Certification, Electric Window Durability, Velocity/Impel FR, CD0004 1 0.0 377 0549273 Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 1 0.0 378 0667416 Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015 1 0.0 379 0667415 Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016 1 0.0 380 0545073 Amp Draw Report, NFPA Current Edition 1 0.0 381 0002758 Amp Draw, NFPA/ULC Radio Allowance 1 0.0 382 0799248 Appleton/Florida BTO 1 0.0 383 0000018 PUMPER, 2ND GEN 1 0.0 384 0000012 PIERCE CHASSIS 1 0.0 385 004713 ENGINE, OTHER 1 0.0 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 389 002001 <t< td=""><td>373</td><td>0667418</td><td></td><td>Certification, Cab Integrity, Impel FR, CD0009</td><td>1</td><td>0.00</td></t<> | 373 | 0667418 | | Certification, Cab Integrity, Impel FR, CD0009 | 1 | 0.00 |
| 376 0667411 Certification, Electric Window Durability, Velocity/Impel FR, CD0004 1 0.0 377 0549273 Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 1 0.0 378 0667416 Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015 1 0.0 379 0667415 Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016 1 0.0 380 0545073 Amp Draw Report, NFPA Current Edition 1 0.0 381 0002758 Amp Draw, NFPA/ULC Radio Allowance 1 0.0 382 0799248 Appleton/Florida BTO 1 0.0 383 000018 PUMPER, 2ND GEN 1 0.0 384 0000012 PIERCE CHASSIS 1 0.0 385 0004713 ENGINE, OTHER 1 0.0 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 387 0020011 WATEROUS PUMP 1 0.0 388 0020009 POLY TANK 1 0.0 390 002005 TOP MOUNT 1 0.0 391 002007 AKRON VALVES 1 0.0 393 0658751 Manufacturing Attribute | 374 | 0548950 | | Certification, Cab Door Durability, Velocity/Impel, CD0001 | 1 | 0.00 |
| 377 0549273 Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 1 0.0 378 0667416 Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015 1 0.0 379 0667415 Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016 1 0.0 380 0545073 Amp Draw Report, NFPA Current Edition 1 0.0 381 0002758 Amp Draw, NFPA/ULC Radio Allowance 1 0.0 382 0799248 Appleton/Florida BTO 1 0.0 383 000018 PUMPER, 2ND GEN 1 0.0 384 0000012 PIERCE CHASSIS 1 0.0 385 0004713 ENGINE, OTHER 1 0.0 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 387 0020011 WATEROUS PUMP 1 0.0 389 0028047 NO FOAM SYSTEM 1 0.0 390 0020005 TOP MOUNT 1 0.0 391 0020007 AKRON VALVES 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | 375 | 0548967 | | Certification, Windshield Wiper Durability, Impel/Velocity, CD0005 | 1 | 0.00 |
| 378 0667416 Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015 1 0.0 379 0667415 Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016 1 0.0 380 0545073 Amp Draw Report, NFPA Current Edition 1 0.0 381 0002758 Amp Draw, NFPA/ULC Radio Allowance 1 0.0 382 0799248 Appleton/Florida BTO 1 0.0 383 000018 PUMPER, 2ND GEN 1 0.0 384 0000012 PIERCE CHASSIS 1 0.0 385 0004713 ENGINE, OTHER 1 0.0 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 388 002001 WATEROUS PUMP 1 0.0 388 002009 POLY TANK 1 0.0 390 002005 TOP MOUNT 1 0.0 391 002007 AKRON VALVES 1 0.0 392 002015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | 376 | 0667411 | | Certification, Electric Window Durability, Velocity/Impel FR, CD0004 | 1 | 0.00 |
| 379 0667415 Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016 1 0.0 380 0545073 Amp Draw Report, NFPA Current Edition 1 0.0 381 0002758 Amp Draw, NFPA/ULC Radio Allowance 1 0.0 382 0799248 Appleton/Florida BTO 1 0.0 383 0000018 PUMPER, 2ND GEN 1 0.0 384 0000012 PIERCE CHASSIS 1 0.0 385 0004713 ENGINE, OTHER 1 0.0 387 0020011 WATEROUS PUMP 1 0.0 388 002009 POLY TANK 1 0.0 389 0028047 NO FOAM SYSTEM 1 0.0 391 0020005 TOP MOUNT 1 0.0 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | 377 | 0549273 | | Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 | 1 | 0.00 |
| 380 0545073 Amp Draw Report, NFPA Current Edition 1 0.0 381 0002758 Amp Draw, NFPA/ULC Radio Allowance 1 0.0 382 0799248 Appleton/Florida BTO 1 0.0 383 000018 PUMPER, 2ND GEN 1 0.0 384 000012 PIERCE CHASSIS 1 0.0 385 0004713 ENGINE, OTHER 1 0.0 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 387 0020011 WATEROUS PUMP 1 0.0 388 0020009 POLY TANK 1 0.0 389 0028047 NO FOAM SYSTEM 1 0.0 391 0020005 TOP MOUNT 1 0.0 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | 378 | 0667416 | | | 1 | 0.00 |
| 381 0002758 Amp Draw, NFPA/ULC Radio Allowance 1 0.0 382 0799248 Appleton/Florida BTO 1 0.0 383 000018 PUMPER, 2ND GEN 1 0.0 384 0000012 PIERCE CHASSIS 1 0.0 385 0004713 ENGINE, OTHER 1 0.0 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 387 0020011 WATEROUS PUMP 1 0.0 388 002009 POLY TANK 1 0.0 389 0028047 NO FOAM SYSTEM 1 0.0 390 0020005 TOP MOUNT 1 0.0 391 0020007 AKRON VALVES 1 0.0 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | 379 | 0667415 | | | 1 | 0.00 |
| 382 0799248 Appleton/Florida BTO 1 0.0 383 0000018 PUMPER, 2ND GEN 1 0.0 384 000012 PIERCE CHASSIS 1 0.0 385 0004713 ENGINE, OTHER 1 0.0 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 387 0020011 WATEROUS PUMP 1 0.0 388 0020009 POLY TANK 1 0.0 389 0028047 NO FOAM SYSTEM 1 0.0 390 0020005 TOP MOUNT 1 0.0 391 0020007 AKRON VALVES 1 0.0 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | 380 | 0545073 | | Amp Draw Report, NFPA Current Edition | 1 | 0.00 |
| 383 0000018 PUMPER, 2ND GEN 1 0.0 384 000012 PIERCE CHASSIS 1 0.0 385 0004713 ENGINE, OTHER 1 0.0 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 387 0020011 WATEROUS PUMP 1 0.0 388 0020009 POLY TANK 1 0.0 389 0028047 NO FOAM SYSTEM 1 0.0 390 0020005 TOP MOUNT 1 0.0 391 0020007 AKRON VALVES 1 0.0 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | 381 | 0002758 | | · | 1 | 0.00 |
| 384 0000012 PIERCE CHASSIS 1 0.0 385 0004713 ENGINE, OTHER 1 0.0 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 387 0020011 WATEROUS PUMP 1 0.0 388 0020009 POLY TANK 1 0.0 389 0028047 NO FOAM SYSTEM 1 0.0 390 0020005 TOP MOUNT 1 0.0 391 0020007 AKRON VALVES 1 0.0 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | 382 | 0799248 | | Appleton/Florida BTO | 1 | 0.00 |
| 385 0004713 ENGINE, OTHER 1 0.0 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 387 0020011 WATEROUS PUMP 1 0.0 388 0020009 POLY TANK 1 0.0 389 0028047 NO FOAM SYSTEM 1 0.0 390 0020005 TOP MOUNT 1 0.0 391 0020007 AKRON VALVES 1 0.0 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | | | | • | 1 | 0.00 |
| 386 0046395 EVS 3000 Series TRANSMISSION 1 0.0 387 0020011 WATEROUS PUMP 1 0.0 388 0020009 POLY TANK 1 0.0 389 0028047 NO FOAM SYSTEM 1 0.0 390 0020005 TOP MOUNT 1 0.0 391 0020007 AKRON VALVES 1 0.0 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | | | | | 1 | 0.00 |
| 387 0020011 WATEROUS PUMP 1 0.0 388 0020009 POLY TANK 1 0.0 389 0028047 NO FOAM SYSTEM 1 0.0 390 0020005 TOP MOUNT 1 0.0 391 0020007 AKRON VALVES 1 0.0 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | 385 | 0004713 | | ENGINE, OTHER | 1 | 0.00 |
| 388 0020009 POLY TANK 1 0.0 389 0028047 NO FOAM SYSTEM 1 0.0 390 0020005 TOP MOUNT 1 0.0 391 0020007 AKRON VALVES 1 0.0 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | | | | EVS 3000 Series TRANSMISSION | 1 | 0.00 |
| 389 0028047 NO FOAM SYSTEM 1 0.0 390 0020005 TOP MOUNT 1 0.0 391 0020007 AKRON VALVES 1 0.0 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | 387 | 0020011 | | WATEROUS PUMP | 1 | 0.00 |
| 390 0020005 TOP MOUNT 1 0.0 391 0020007 AKRON VALVES 1 0.0 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | 388 | 0020009 | | POLY TANK | 1 | 0.00 |
| 391 0020007 AKRON VALVES 1 0.0 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | 389 | 0028047 | | NO FOAM SYSTEM | 1 | 0.00 |
| 392 0020015 ABS SYSTEM 1 0.0 393 0658751 Manufacturing Attribute 1 0.0 | 390 | 0020005 | | TOP MOUNT | 1 | 0.00 |
| 393 0658751 Manufacturing Attribute 1 0.0 | | | | | 1 | 0.00 |
| State Contract to the Contract | 392 | 0020015 | | ABS SYSTEM | 1 | 0.00 |
| Total Link 0522 754 0 | 393 | 0658751 | | Manufacturing Attribute | 1_ | 0.00 |

Total List: \$533,751.89

PROPOSAL FOR FURNISHING FIRE APPARATUS



June 29, 2016

The undersigned is prepared to manufacture for you, upon an order being placed by you, for final acceptance by Pierce Manufacturing, Inc., at its home office in Appleton, Wisconsin, the apparatus and equipment herein named and for the following prices:

| 1. Dioma Immal questama mumman | \$ | 405 199 00 |
|---|----------|------------|
| 1- Pierce Impel custom pumper 750 gal tank, 1500 pump, rollup doors built to the agreed upon specifications | | 495,188.00 |
| 750 gai tank, 1500 pump, ronup doors bunt to the agreed upon specifications | | |
| | | |
| | _ | |
| | | |
| | | |
| | | |
| | Total \$ | 495,188.00 |

Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or intentional conflict, failures to obtain chassis, materials, or other causes beyond our control not preventing, within about <u>250</u> working days after receipt of this order and the acceptance thereof at our office at Appleton, Wisconsin, and to be delivered to you at North Little Rock FD.

The specifications herein contained shall form a part of the final contract, and are subject to changes desired by the purchaser, provided such alterations are interlined prior to the acceptance by the company of the order to purchase, and provided such alterations do not materially affect the cost of the construction of the apparatus.

The proposal for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications. Any increased costs incurred by first party because of future changes in or additions to said DOT or NFPA standards will be passed along to the customers as an addition to the price set forth above.

Unless accepted within 15 days from date, the right is reserved to withdraw this proposition.

| Pier | ce Manufacturing, Inc. |
|------|---------------------------------|
| By: | |
| • | AUTHORIZED SALES REPRESENTATIVE |
| | Will Topf |



QSD1397 PERFORM. LIKE NO OTHER: Revised: 09/28/2011