

| ITEM NO | Description                               | MFR                    | MFG NO                       | SUB | EST AVG QTY | UOM  | Wholesale Electric | Weeco  | AR Elect | IRby   | Techline | Elliott Elect. |
|---------|---|------------------------|------------------------------|-----|-------------|------|--------------------|--------|----------|--------|----------|----------------|
| AA0000L | LUBRICANT (KNOCK'ER LOOSE)                | CRC                    | 03020                        | N   | 120         | EACH | 6.99               | 6.84   |          | 6.77   | 8.40     | 8.47           |
| AH00003 | 3 1/2" SQUARE EXTENSIONS                  | CHANCE                 | 12655                        |     | 50          | EACH | NB                 | 37.76  | 58.50    | 51.70  | 51.20    |                |
| AH00005 | 5" SQUARE EXTENSIONS                      | CHANCE                 | 12656                        |     | 50          | EACH |                    | 49.60  | 65.00    | 62.18  | 61.55    |                |
| AH00010 | ANCHOR, 10" EXPANDING                     | CHANCE                 | 108234                       |     | 50          | EACH |                    | 29.27  | 38.10    | 64.33  | 34.00    |                |
| AH000SS | ANCHOR, S&S 8" / 10" (WITH GUY ADAPTERS)  | CHANCE                 | 1265413AE                    | N   | 50          | EACH |                    | 145.80 |          | 140.97 | 138.25   |                |
| AH00348 | ANCHOR ROD 3/4" x 8'                      | CHANCE                 | 5358                         |     | 25          | EACH |                    | 17.60  | 24.38    | 22.84  | 23.45    |                |
| AH00586 | ANCHOR ROD 5/8" x 6'                      | CHANCE                 | 5346                         |     | 25          | EACH |                    | 13.90  | 18.25    | 16.72  | 15.75    |                |
| AH10HEL | ANCHOR, PISA 10"                          | MACLEAN                | D104-6                       |     | 100         | EACH |                    | 20.30  | 30.00    | 19.57  | 26.30    |                |
| AH12HEL | ANCHOR ROD 3/4" x 7' PISA                 | MACLEAN                | D75D                         |     | 100         | EACH |                    | 18.80  | 20.50    | 18.71  | 24.70    |                |
| AP00000 | ARM PIN, STD 5/8"                         | CHANCE                 | 881P                         |     | 500         | EACH |                    | 3.78   | 6.35     | 4.69   | 4.90     |                |
| AS00000 | ARRESTER, 10KV DISTRIBUTION (NORMAL DUTY) | COOPER OR OHIO BRASS   | UNS10050A1A1B1A / 2172597324 | N   | 300         | EACH | NB                 | 29.64  | 31.00    | 30.81  | 30.50    |                |
| BD05820 | BOLT DA 5/8" x 20"                        | CHANCE / MACLEAN       | 8870 / J8870                 |     | 250         | EACH | 2.75               | 1.82   | 3.55     | 1.83   | 3.40     |                |
| BD05822 | BOLT DA 5/8" x 22"                        | CHANCE / MACLEAN       | 8872 / J8872                 |     | 250         | EACH | 2.75               | 2.38   | 3.65     | 1.96   | 3.55     |                |
| BE00058 | BOLT EYELET 5/8"                          | CHANCE / LINE HARDWARE | B14A / BEL-58                |     | 600         | EACH | 2.39               | 3.31   | 4.25     | 2.68   | 4.00     |                |
| BH00012 | 1/2" BRASS HEX NUT                        |                        |                              |     | 1000        | EACH | NB                 |        |          | .40    | 1.00     |                |
| BH00122 | 1/2" x 2" BRASS HEX BOLT (ALL THREAD)     |                        |                              |     | 2000        | EACH |                    |        |          |        | 4.05     |                |
| BH012LW | 1/2" BRASS LOCK WASHERS                   |                        |                              |     | 1000        | EACH |                    |        |          | .25    | .60      |                |
| BH12000 | 1/2" BRASS FLAT WASHERS                   |                        |                              |     | 1000        | EACH |                    |        |          | .34    | .95      |                |
| BH12212 | 1/2" x 2 1/2" BRASS HEX BOLT (ALL THREAD) |                        |                              |     | 650         | EACH |                    |        |          | 2.55   | 4.90     |                |
| BM00126 | BOLT, MA 1/2" x 6"                        |                        |                              |     | 500         | EACH | NB                 | .86    | 1.00     | .49    | 1.25     |                |
| BM05812 | BOLT, MA 5/8" x 12"                       | CHANCE                 | 8812                         |     | 2000        | EACH | 1.16               | 1.04   | 1.25     | .94    | 1.35     |                |
| BM05814 | BOLT, MA 5/8" x 14"                       | CHANCE                 | 8814                         |     | 600         | EACH | 1.93               | 1.12   | 1.35     | 1.04   | 1.48     |                |
| BR00001 | BRACKET 1 SPOOL                           | CHANCE                 | 0338                         |     | 1000        | EACH | NB                 | 4.85   | 7.94     | 4.04   | 4.00     |                |
| BR0000P | BRACKET, ARRESTER POLE MNTG               | MACLEAN                | F102382 / J24518             | N   | 750         | EACH |                    | 10.20  |          | 11.83  | 14.75    |                |
| CA00336 | 336-336 CONNECTOR                         | BURNDY                 | WCY56 OR WCY56PB             |     | 30          | EACH |                    | 18.40  | 20.15    |        | 18.65    | 27.50          |
| CA00795 | 795-795 AAC CONNECTOR                     | BURNDY                 | WCY72 or WCY72PB             |     | 30          | EACH |                    | 37.15  | 34.00    |        | 32.25    | 61.25          |
| CC00009 | COMPRESSION CONNECTOR, WR9                | BLACKBURN              | WR9                          |     | 2000        | EACH |                    | .44    | .40      | .37    | .37      | 49.00 c        |
| CC00139 | COMPRESSION CONNECTOR, WR139              | BLACKBURN              | WR139                        |     | 500         | EACH |                    | .69    | .61      | .59    | .61      | 85.00 c        |
| CC00159 | COMPRESSION CONNECTOR, WR159              | BLACKBURN              | WR159                        |     | 1500        | EACH |                    | .45    | .38      | .39    | .38      | 75.00 c        |
| CC00189 | COMPRESSION CONNECTOR, WR189              | BLACKBURN              | WR189                        |     | 1000        | EACH |                    | .47    | .42      | .40    | .39      | 73.00 c        |
| CC00279 | COMPRESSION CONNECTOR, WR279              | BLACKBURN              | WR279                        |     | 500         | EACH |                    | 1.22   | .66      | .65    | .64      | 135.00 c       |

| ITEM NO  | Description                                   | MFR                         | MFG NO               | SUB | EST AVG QTY | UOM  | Wholesale Electric | Wesco  | AR Elect | Irby   | Techline | Elliott    |
|----------|---|-----------------------------|----------------------|-----|-------------|------|--------------------|--------|----------|--------|----------|------------|
| CC00289  | COMPRESSION CONNECTOR, WR289                  | BLACKBURN                   | WR289                |     | 1000        | EACH |                    | .70    | .71      | .72    | .70      | 147.00 c   |
| CC00389  | COMPRESSION CONNECTOR, WR389                  | BLACKBURN                   | WR389                |     | 500         | EACH |                    | 3.67   | 2.30     | 2.30   | 2.28     | 410.00 c   |
| CL1520A  | CLAMP, SMALL HOT LINE                         | HPS ANDERSON/BLACKBURN      | S1520AGP /HLC2108AP9 |     | 600         | EACH |                    | 9.69   | 9.30     | 9.24   | 9.27     |            |
| CM00004  | CONNECTOR, SPLIT-BOLT #4 CU                   | BLACKBURN / BURNDY          | 4H3 / KS203          |     | 600         | EACH | 1.06               | 1.41   | 1.61     | 1.61   | 1.35     | 185.00 c   |
| CM00006  | CONNECTOR, SPLIT-BOLT #6 CU                   | BLACKBURN / BURNDY          | 6H3 / KS173          |     | 500         | EACH | .91                | 1.09   | 1.32     | 1.24   | 1.00     | 155.00 c   |
| CM00010  | CONNECTOR, SPLIT-BOLT 1/0 CU                  | BLACKBURN / BURNDY          | 10H / KS25           |     | 100         | EACH | 2.17               | 2.29   | 2.20     | 4.90   | 2.05     | 530.00 c   |
| CM00020  | CONNECTOR, SPLIT-BOLT 2/0 CU                  | BLACKBURN / BURNDY          | 20H / KS26           |     | 100         | EACH | 3.51               | 4.45   | 3.90     | 6.79   | 4.05     | 735.00 c   |
| CM0002S  | CONNECTOR, SPLIT-BOLT #2 STR CU               | BLACKBURN / BURNDY          | 1H / KS23            |     | 600         | EACH | 1.46               | 1.75   | 1.50     | 3.09   | 1.60     | 325.00 c   |
| CM00040  | CONNECTOR, SPLIT-BOLT 4/0 CU                  | BLACKBURN / BURNDY          | 40H / KS29           |     | 100         | EACH | 5.59               | 11.46  | 10.10    | 9.56   | 9.95     | 1,010.00 c |
| CM00500  | CONNECTOR, 2 BOLT ALL PURPOSE                 | BLACKBURN / BURNDY          | 2B500PW / KVSU34     |     | 100         | EACH | NB                 | 16.60  | 15.25    | 14.25  | 15.60    | 1,857.00 c |
| CM01000  | CONNECTOR, 2 BOLT ALL PURPOSE                 | BLACKBURN / BURNDY          | 2B1000PW / KVSU44    |     | 50          | EACH |                    | 37.74  | 30.50    | 52.14  | 35.00    | 5800.00 c  |
| CR00001  | CROSSARM BRACE (REVERSIBLE-UNDEARM STYLE)     | ALUMA FORM                  | RA6018               |     | 600         | EACH |                    | 6.90   | 15.75    | 15.46  | 8.05     |            |
| CR0008S  | CROSSARM, 8' STD 3 5/8" x 4 5/8"              |                             | BXARM8FC-25BDL       |     | 300         | EACH |                    |        | 110.98   | 37.83  | 41.75    |            |
| CR000P1  | CROSSARM, DEAD-END FIBERGLASS (SGL)           | PUPI                        | DA2500-96E3-B73      | N   | 30          | EACH |                    |        | 230.00   |        |          |            |
| CR000P2  | CROSSARM, DEAD-END FIBERGLASS (DBL)           | PUPI                        | DA3000-96E3-B73      | N   | 30          | EACH |                    |        | 270.00   |        |          |            |
| CR000SA  | STAND OFF BRACKET SINGLE POSITION (3-PHASE)   | ALUMA FORM                  | F3CA-MV-H4818-S1-H   |     | 100         | EACH |                    | 111.83 | 121.75   | 113.95 | 115.00   |            |
| CR000SA1 | STAND OFF BRACKET SINGLE POSITION (1PHASE)    | ALUMA FORM                  | F1CA-MV-H18-S1-H     |     | 100         | EACH |                    | 21.65  | 25.25    | 23.67  | 29.00    |            |
| CR000SAB | STAND OFF BRACKET-SPACER BAR (WITH HARDWARE)  | ALUMA FORM                  | S1-BAR-T8-H          |     | 100         | EACH |                    | 6.14   | 6.35     | 5.95   | 7.00     |            |
| DB00336  | DEAD-END AL BOLTED 4/0-336 ACSR SPRING LOADED | ANDERSON                    | ADEZ88N              |     | 100         | EACH |                    | 15.08  | 16.67    | 13.38  | 14.55    |            |
| DB00620  | DEAD-END AL BOLTED 6-2/0 ACSR SPRING LOADED   | ANDERSON                    | ASOD3981N            |     | 500         | EACH |                    | 5.94   | 7.75     | 5.62   | 7.31     |            |
| DB00795S | DEAD-END BOLTED AL PRI 795 -SPRING LOADED     | ANDERSON/MACLEAN            | ADEZ116N / HDS0116   |     | 150         | EACH |                    | 16.90  | 23.16    | 16.79  | 21.90    |            |
| DH00000  | DRIVE HOOKS (J HOOK)                          | CHANCE / MACLEAN            | C205-0190 / J3316P   |     | 200         | EACH | .62                | .48    | 105.70   | .45    | .95      |            |
| DS00002  | DEAD-END SERVICE GRIP #2                      | PREFORMED                   | SG-4504              |     | 600         | EACH | .71                | .80    | .79      | .74    | .79      |            |
| DS00004  | DEAD-END SERVICE GRIP #4                      | PREFORMED                   | SG-4502              |     | 500         | EACH | .73                | .62    | .64      | .60    | .60      |            |
| DS00006  | DEAD-END SERVICE GRIP #6                      | PREFORMED                   | SG-4500              |     | 200         | EACH | .69                | .60    | .62      | .59    | .60      |            |
| DS00010  | DEAD-END SERVICE GRIP 1/0                     | PREFORMED                   | SG-4506              |     | 200         | EACH | 1.16               | 1.30   | 1.35     | 1.26   | 1.29     |            |
| DW02040  | DEAD-END SERVICE WEDGE 2/0-4/0 ACSR           | BLACKBURN                   | W40-1FC              |     | 100         | EACH | NB                 | 3.11   | 4.05     | 5.88   | 4.25     | 6.50       |
| EN00058  | EYE NUT 5/8", OVAL                            | LINE HARDWARE               | OEN-58               |     | 500         | EACH |                    | 1.38   | 1.20     | 1.14   | 2.39     |            |
| FIOH000  | FAULT INDICATOR, OVERHEAD                     | See attached specifications |                      | N   | 30          | EACH |                    | 289.00 |          | 282.28 | 288.00   |            |
| FIUG000  | FAULT INDICATOR, UNDERGROUND                  | See attached specifications |                      | N   | 30          | EACH |                    | 213.00 |          | 207.95 | 212.00   |            |
| FL00KS5  | FUSE LINKS KS 5 AMP                           | KEARNEY                     | 21005                | N   | 500         | EACH |                    | 3.39   | 3.65     |        | 4.90     |            |

| ITEM NO | Description                          | MFR                                    | MFG NO         | SUB | EST AVG QTY | UOM  | Wholesale Elect. | Wesco | AR Elect | Irby  | Techline | Elliott   |
|---------|--------------------------------------|--|----------------|-----|-------------|------|------------------|-------|----------|-------|----------|-----------|
| FL00KS7 | FUSE LINKS KS 7 AMP                  | KEARNEY                                | 21007          | N   | 200         | EACH |                  | 3.45  | 3.60     |       | 4.90     |           |
| FLOKS10 | FUSE LINKS KS 10 AMP                 | KEARNEY                                | 21010          | N   | 500         | EACH |                  | 3.81  | 4.22     |       | 4.90     |           |
| FLOKS30 | FUSE LINKS KS 30 AMP                 | KEARNEY                                | 21030          | N   | 250         | EACH |                  | 3.72  | 3.95     |       | 5.30     |           |
| FLOKS65 | FUSE LINKS KS 65 AMP                 | KEARNEY                                | 21065          | N   | 250         | EACH |                  | 5.76  | 6.10     |       | 8.21     |           |
| GC00058 | GROUND CLAMP 5/8"                    | BLACKBURN                              | G5             |     | 1000        | EACH | .96              | 1.77  | 1.05     | 1.28  | 1.27     | 115.00cs  |
| GD00588 | GROUND ROD 8'                        |  |                |     | 500         | EACH | 8.83             | 9.65  | 10.50    | 13.44 | 9.70     |           |
| GG0010M | 10M GUY GRIP                         | PREFORMED                              | AWDE-4116      | EM  | 750         | EACH | NB               | 3.20  | 3.25     | 3.06  | 3.01     |           |
| GG0020M | 20M GUY GRIP                         | PREFORMED                              | AWDE-4126      | EM  | 250         | EACH | 10.75            | 11.50 | 11.95    | 11.18 | 11.45    |           |
| GI00012 | GUY INSULATOR ROD 12'                | MACLEAN                                | GCC15144R      |     | 30          | EACH | NB               | 22.43 | 23.50    | 23.54 | 31.70    |           |
| GI00078 | GUY INSULATOR ROD 78"                | MACLEAN                                | GCC1578R       |     | 200         | EACH |                  | 17.70 | 25.15    | 17.39 | 17.25    |           |
| GI0020M | GUY INSULATOR ROD - 20M              | MACLEAN                                | GCC3096R       |     | 30          | EACH |                  | 37.39 | 39.10    | 40.14 | 45.00    |           |
| GP00000 | GUY GUARD - YELLOW                   | PREFORMED                              | PG-5518        |     | 500         | EACH | NB               | 4.72  | 3.25     | 4.41  | 3.10     |           |
| GR0010M | 10M GUY WIRE                         |  |                |     | 10000       | FEET | .25              | .27   | .28      | 2.40  | .32      |           |
| GR0020M | 20M GUY WIRE                         |  |                |     | 1000        | FEET | .49              | .59   | .65      | 5.54  | .63      |           |
| GS0000C | SIDEWALK GUY CLAMP END FITTING       | CHANCE                                 | 0502           |     | 25          | EACH | 13.75            | 16.08 | 23.85    | 12.12 | 13.70    |           |
| GS0000P | SIDEWALK GUY POLE PLATE              | CHANCE                                 | 0501           |     | 25          | EACH | 10.83            | 12.08 | 20.00    | 10.18 | 11.50    |           |
| GT00058 | GUT ATTACHMENT 5/8" (POLE EYE PLATE) | CHANCE                                 | GEP5 / GEP5A   | N   | 500         | EACH | NB               | 7.20  | 7.25     | 7.03  | 7.20     |           |
| GW00058 | GUY WASHER 5/8"                      | MACLEAN                                | J113           |     | 500         | EACH | .50              | .63   | 1.20     | .59   | 1.09     |           |
| GW00058 | INSULATOR, PIN (F-NECK)              | PORCELAIN PRODUCTS / VICTOR INSULATORS | 366S / VI 606R |     | 2000        | EACH |                  |       | 3.97     | 3.26  | 3.15     |           |
| IN0000S | INSULATOR, 3" SPOOL                  | PORCELAIN PRODUCTS / VICTOR INSULATORS | 5101 / VI 2612 |     | 1000        | EACH |                  |       | .99      | .72   | .75      |           |
| IN000PO | INSULATOR, 15KV POLYMER              | OHIO BRASS                             | 4010150215     | N   | 675         | EACH | 7.59             | 11.95 | 11.75    | 10.15 | 10.60    |           |
| IS00022 | INSULINK 2-2                         | BLACKBURN                              | ICS73-1        |     | 1000        | EACH |                  | .46   | .45      | .44   | .44      | 98.00cs   |
| IS00024 | INSULINK 2-4                         | BLACKBURN                              | ICS72-1        |     | 1000        | EACH |                  | .46   | .49      | .46   | .46      | 98.00cs   |
| IS00026 | INSULINK 2-6                         | BLACKBURN                              | ICS71-1        |     | 500         | EACH |                  | .47   | .49      | .50   | .49      | 70.00cs   |
| IS00044 | INSULINK 4-4                         | BLACKBURN                              | ICS68-1        |     | 600         | EACH |                  | .50   | .46      | .47   | .46      | 98.00cs   |
| IS00046 | INSULINK 4-6                         | BLACKBURN                              | ICS67-1        |     | 300         | EACH |                  | .50   | .52      | .52   | .52      | 111.00cs  |
| IS00066 | INSULINK 6-6                         | BLACKBURN                              | ICS64-1        |     | 300         | EACH |                  | .47   | .47      | .47   | .47      | 111.00cs  |
| IS00102 | INSULINK 1/0 - 2                     | BLACKBURN                              | ICS77-1        |     | 500         | EACH |                  | .50   | .50      | .47   | .47      | 70.00cs   |
| IS01010 | INSULINK 1/0 - 1/0                   | BLACKBURN                              | ICS78-1        |     | 500         | EACH |                  | .49   | .50      | .50   | .49      | 111.00cs  |
| LU02600 | LUG, 4 HOLE 4C 2-600                 | BLACKBURN                              | ADR60-44D      | EM  | 300         | EACH | 27.16            | 50.86 | 48.00    | 45.80 | 50.49    | 4500.00cs |

| ITEM NO  | Description                                     | MFR                      | MFG NO                        | SUB | EST AVG QTY | UOM  | Wholesale Elect. | Wesco | AR Elect | lrby  | Techline | Elliott    |
|----------|---|--------------------------|-------------------------------|-----|-------------|------|------------------|-------|----------|-------|----------|------------|
| LU06350  | LUG, 2 HOLE 2C 6 350                            | BURNDY                   | KK2A36U-2N                    |     | 30          | EACH | 7.90             | 19.03 | 90.00    |       | 91.00    |            |
| LU06400  | LUG, 6 HOLE 4C LAY-IN CONNECTOR                 | CMC/ESP UTILITY PRODUCTS | DLI600-4                      | N   | 500         | EACH | 29.05            |       |          |       | 59.95    |            |
| PC00000  | POLE CRETE STABILIZER                           | POLY-SET                 | PS210                         |     | 120         | EACH |                  |       |          |       | 35.00    |            |
| PO00018  | POLE TOP PIN 18"                                | CHANCE                   | 2170                          |     | 150         | EACH |                  | 5.80  | 9.50     | 5.75  | 6.80     |            |
| PV00002  | WIRE PULLING LUBRICANT                          | THOMAS & BETTS           | PJ-128                        | N   | 120         | EACH | 18.34            | 19.20 | 18.10    | 18.38 | 19.50    |            |
| PV00003  | CABLE CLEANER & DEGREASER                       | CRC                      | 02150                         | N   | 120         | CAN  | 7.44             | 7.35  |          | 8.55  | 10.00    | 8.74       |
| PV00005  | PVC GLUE (IN 1 QUART CANS)                      | CANTEX / CARLON          | PVC No. 99 (7210603) / VC9982 | N   | 120         | CAN  | 8.47             |       | 13.42    | 7.98  | 20.75    | 1,268.79cs |
| PV20000  | 2" PVC SCHEDULE 40 CONDUIT (20' Length)         | CARLON                   | 49011-20                      |     | 28000       | FEET | 1.16             |       | 1.70     | 1.47  |          | 150.42cs   |
| PV20001  | 2" PVC SCHEDULE 40 COUPLING                     | CARLON                   | E940J                         |     | 100         | EACH | .37              |       | .50      | .42   |          | 43.00cs    |
| PV20001L | 2" PVC SCHEDULE 40 COUPLING - LONG LINE         | CARLON                   | E941J                         |     | 500         | EACH | .92              |       | 1.05     | 1.10  |          | 425.00cs   |
| PV20002  | 2" PVC SCHEDULE 40 LONG 90° ELBOW (36" Radius)* | CARLON                   | UA9FJ                         |     | 150         | EACH | 5.50             |       | 10.75    | 10.50 |          | 7.85       |
| PV20003  | 2" PVC SCHEDULE 40 SHORT 90° ELBOW              |                          |                               |     | 75          | EACH | 1.46             |       |          | 7.56  |          | 175.00cs   |
| PV30000  | 3" PVC SCHEDULE 40 CONDUIT (10' Length)         | CARLON                   | 49013-10                      |     | 3000        | FEET | 2.61             |       | 2.75     | 2.65  |          | 285.00cs   |
| PV30001  | 3" PVC SCHEDULE 40 COUPLING                     |                          | E940L                         |     | 50          | EACH | .99              |       | 2.30     | 2.25  |          | 138.04cs   |
| PV30001L | 3" PVC SCHEDULE 40 COUPLING - LONG LINE         | CARLON                   | E941L                         |     | 100         | EACH | 4.12             |       | 4.53     | 4.43  |          | 1,210.00cs |
| PV30002  | 3" PVC SCHEDULE 40 LONG 90° ELBOW (36" Radius)* | CARLON                   | UA9FL                         |     | 30          | EACH | 11.67            |       | 18.90    | 18.48 |          | 17.23      |
| PV30003  | 3" PVC SCHEDULE 40 SHORT 90° ELBOW              |                          |                               |     | 20          | EACH | 4.31             |       |          | 5.25  |          | 692.26cs   |
| PV40000  | 4" PVC SCHEDULE 40 CONDUIT (10' Length)         | CARLON                   | 49015-10                      |     | 5000        | FEET | 3.64             |       | 3.75     | 3.86  |          | 395.00cs   |
| PV40001  | 4" PVC SCHEDULE 40 COUPLING                     |                          |                               |     | 50          | EACH | 1.54             |       |          | 1.78  |          | 212.94cs   |
| PV40001L | 4" PVC SCHEDULE 40 COUPLING - LONG LINE         | CARLON                   | E941N                         |     | 100         | EACH | 5.84             |       |          | 1.01  |          | 1,671.74cs |
| PV40002  | 4" PVC SCHEDULE 40 LONG 90° ELBOW (36" Radius)* | CARLON                   | UA9FN                         |     | 30          | EACH | 16.64            |       | 16.90    | 22.85 |          | 24.13      |
| PV40003  | 4" PVC SCHEDULE 40 SHORT 90° ELBOW              |                          |                               |     | 20          | EACH | 7.43             |       |          | 9.57  |          | 890.00cs   |
| SAA0010  | SPLICE AL AUTO 1/0 ACSR                         | FARGO                    | GL-406-A                      |     | 100         | EACH |                  | 6.14  | 9.30     | 6.94  | 7.25     |            |
| SAA0024  | SPLICE AL AUTO 2 - 4 ACSR                       | FARGO                    | GL-4042A                      |     | 100         | EACH |                  | 4.45  | 6.87     | 5.41  | 5.70     |            |
| SAA0040  | SPLICE AL AUTO 4/0 ACSR                         | FARGO                    | GL-409A                       |     | 100         | EACH |                  | 11.66 | 18.25    | 14.06 | 14.70    |            |
| SAA0336  | SPLICE AL AUTO 336 ACSR                         | FARGO                    | GL-411                        |     | 100         | EACH |                  | 12.94 | 22.43    | 16.75 | 17.50    |            |
| SAA0795  | SPLICE AL AUTO 795 AAC                          | FARGO                    | GL1385A                       |     | 30          | EACH |                  | 63.62 | 63.62    | 60.69 | 63.40    |            |
| SAA0795D | SPLICE AL AUTO 795 ASCR (DRAKE)                 | FARGO                    | GL1441A                       |     | 30          | EACH |                  | 95.05 | 95.05    | 87.55 | 92.00    |            |
| SAN0002  | SPLICE AL COMP SVC NEUT #2                      | BLACKBURN                | TR64                          |     | 500         | EACH |                  | 2.10  | 1.35     | 1.29  | 1.27     | 2.65       |
| SAN0004  | SPLICE AL COMP SVC NEUT #4                      | BLACKBURN                | TR63                          |     | 300         | EACH |                  | 2.00  | 1.40     | 1.28  | 1.26     | 2.50       |
| SAN0006  | SPLICE AL COMP SVC NEUT #6                      | BLACKBURN                | TR61                          |     | 300         | EACH |                  | 2.10  | 1.40     | 1.28  | 1.26     | 2.60       |

| ITEM NO | Description                                  | MFR                         | MFG NO                     | SUB | EST AVG QTY | UOM  | Wholesale Elect. | Weesco   | AR Elect | lrby    | Techline | Elliott |
|---------|--|-----------------------------|----------------------------|-----|-------------|------|------------------|----------|----------|---------|----------|---------|
| SAN0010 | SPLICE AL COMP SVC NEUT 1/0                  | BURNDY                      | YSC25R                     |     | 200         | EACH |                  | 3.41     |          |         | 2.99     |         |
| SAN0040 | SPLICE AL COMP SVC NEUT 4/0                  | BURNDY                      | YSD28R28R                  |     | 100         | EACH |                  | 2.40     | 2.15     |         | 2.10     | 6.69    |
| SC00000 | SCREW, LAG                                   | CHANCE                      | 508754                     |     | 1000        | EACH |                  | .68      | .82      | .85     | .81      |         |
| SCA02SO | SPLICE CU AUTO #2 SOL                        | FARGO                       | GL-114                     |     | 100         | EACH |                  | 4.94     | 8.66     | 8.54    | 8.45     |         |
| SCA02ST | SPLICE CU AUTO #2 STR                        | FARGO                       | GL-115                     |     | 100         | EACH |                  | 5.00     | 7.07     | 8.26    | 8.40     |         |
| SCA04SO | SPLICE CU AUTO #4 SOL                        | FARGO                       | GL-112                     |     | 100         | EACH |                  | 4.21     | 4.35     | 3.54    | 3.70     |         |
| SCA06SO | SPLICE CU AUTO #6 SOL                        | FARGO                       | GL-111                     |     | 100         | EACH |                  | 2.55     | 4.12     | 3.00    | 3.05     |         |
| SR00000 | STIRRUP, BAIL                                | BURNDY                      | J990                       |     | 300         | EACH |                  | 4.45     | 3.90     |         | 4.05     | 9.89    |
| SR000SM | STIRRUP, SMALL                               | ANDERSON                    | AHLS022019E                |     | 100         | EACH |                  | 10.94    | 11.20    | 8.58    | 10.00    |         |
| SR00336 | STIRRUP, 336                                 | ANDERSON                    | AHLS397021E                |     | 100         | EACH |                  | 21.75    | 21.35    | 17.54   | 19.50    |         |
| SR00795 | STIRRUP, 795                                 | ANDERSON                    | AHLS954022E                |     | 100         | EACH |                  | 33.62    | 37.65    | 31.60   | 34.05    |         |
| SR00SMB | STIRRUP, BRONZE                              | ANDERSON                    | BHLS022016E                |     | 100         | EACH |                  | 20.24    | 19.31    | 19.30   | 20.00    |         |
| SW0000C | SWITCH, COMBINATION (POLYMER)                | CHANCE                      | CP71DM112PB                | N   | 100         | EACH |                  | 176.40   | 145.21   | 140.85  | 148.70   |         |
| SW00100 | SWITCH, CUTOUT 100AMP (POLYMER)              | CHANCE                      | CP710112PB                 | N   | 400         | EACH | 65.35            | 99.67    | 87.75    | 68.05   | 76.05    |         |
| SW00200 | SWITCH, CUTOUT 200AMP (POLYMER)              | CHANCE                      | CP710143PB                 | N   | 30          | EACH | 85.00            | 144.20   | 147.50   | 88.19   | 97.55    |         |
| SW900AB | SWITCH, VECTOR ASSEMBLY (SEE SPECIFICATIONS) | SIEMENS                     | 973X-AHT                   | N   | 20          | EACH |                  | 2,840.00 |          | 2842.00 | 2950.00  |         |
| TC0000L | X-CLUSTER MOUNT - LARGE                      | ALUMA FORM                  | 15M3-6                     |     | 30          | EACH |                  | 180.00   | 159.65   | 172.14  | 227.50   |         |
| TG000BC | BUSHING COVER                                | SALISBURY                   | 21116                      |     | 480         | EACH |                  | 10.40    | 11.40    | 11.99   | 20.00    |         |
| TL00000 | X TANK GROUND LUGS                           | ANDERSON                    | GTCS21                     |     | 500         | EACH |                  | 2.90     | 2.95     | 2.51    | 2.80     |         |
| TT00033 | TAPE, SUPER 33+                              | 3M SCOTCH                   | 054007-06132               |     | 2000        | ROLL | 4.10             | 3.95     | 4.05     | 4.14    | 3.99     | 4.75    |
| UA0000B | ARRESTER, BUSHING                            | ELASTIMOLD                  | 167BSA1010BX               |     | 30          | EACH |                  |          |          | 184.21  | 185.00   |         |
| UA0000D | ARRESTER, DIP-POLE/RISER (HEAVY DUTY)        | COOPER OR OHIO BRASS        | URS10050A1A1A / 2216097324 | N   | 300         | EACH |                  | 28.84    | 29.95    | 46.46   | 46.00    |         |
| UA0000E | ARRESTER, ELBOW                              | ELASTIMOLD                  | 167ESA1010BX               | N   | 30          | EACH |                  |          |          | 72.10   | 71.35    |         |
| UA0000P | ARRESTER, PARKING                            | ELASTIMOLD                  | 167PSA101BX                | N   | 30          | EACH |                  |          |          | 160.49  | 175.00   |         |
| UB0000I | BUSHING INSERT (BUSHING WELL INSERT)         | COOPER                      | LBI-215                    |     | 30          | EACH |                  | 22.38    | 26.50    | 31.38   | 29.40    |         |
| UB0000P | BUSHING, INSULATED PARKING (STAND OFF PLUG)  | ELASTIMOLD                  | 161SOPBG                   | N   | 30          | EACH |                  |          |          | 34.95   | 36.00    |         |
| UC0000S | CLUSTER EQUIPMENT MOUNT SWITCH               | ALUMA FORM                  | R3CA                       |     | 20          | EACH |                  | 119.13   | 121.85   | 114.06  | 110.00   |         |
| UC0000T | CLUSTER EQUIPMENT MOUNT TERMINATER           | ALUMA FORM                  | TBEMB16PA35                |     | 20          | EACH |                  | 55.30    | 57.91    | 54.21   | 72.00    |         |
| UE00001 | ENCLOSURE, FEED-THRU 1 PHASE                 | See attached specifications |                            | P   | 30          | EACH |                  | 395.00   | 361.00   | 363.01  | 475.00   |         |
| UE00003 | ENCLOSURE, FEED-THRU 3 PHASE                 | See attached specifications |                            | P   | 30          | EACH |                  | 703.00   | 694.00   | 658.22  | 700.00   |         |
| UE0000C | ENCLOSURE SLEEVE (FIBERCRETE)                | CONCAST                     | FC-40-43-15-2215-(5)       | N   | 30          | EACH | 298.30           | 260.70   |          | 269.44  | 270.00   |         |

| ITEM NO | Description                                 | MFR                         | MFG NO                  | SUB | EST AVG QTY | UOM   | Wholesale Elect. | Wesco  | AR Elect | IRby   | Techline | Elliott |       |
|---------|---|-----------------------------|-------------------------|-----|-------------|-------|------------------|--------|----------|--------|----------|---------|-------|
| UE000S1 | ENCLOSURE FEED-THRU GROUND SLEEVE 1 PHASE   | See attached specifications |                         | P   | 30          | EACH  | 120.62           | 387.00 | 242.00   | 367.63 | 135.00   |         |       |
| UE000S3 | ENCLOSURE FEED-THRU GROUND SLEEVE 3 PHASE   | See attached specifications |                         | P   | 30          | EACH  | 215.97           | 368.00 | 338.00   | 348.97 | 205.00   |         |       |
| UF0000H | FEED-THRU HORIZONTAL PARKING                | COOPER                      | RTE 2637168CO1M         |     |             | 20    | EACH             |        | 86.00    |        | 94.00    |         |       |
| UI0000C | INSULATED CAP                               | COOPER                      | LPC215                  |     |             | 90    | EACH             | 21.50  | 20.14    | 18.21  | 26.00    |         |       |
| UJ00002 | JUNCTION, 2 WAY LOADBREAK W/ "U" STRAPS     | COOPER / ELASTIMOLD         | LJ215C2U / 164J2-5      |     |             | 30    | EACH             | 135.09 | 104.50   | 105.71 | 111.00   |         |       |
| UJ00003 | JUNCTION, 3 WAY LOADBREAK W/ "U" STRAPS     | COOPER / ELASTIMOLD         | LJ215C3U / 164J3-5      |     |             | 30    | EACH             | 150.53 | 109.90   | 118.90 | 125.00   |         |       |
| UJ00004 | JUNCTION, 4 WAY LOADBREAK W/ "U" STRAPS     | COOPER                      | LJ215C4U / 164J4-5      |     |             | 10    | EACH             |        | 167.75   | 117.57 | 167.50   | 159.00  |       |
| UJ0000P | JUNCTION, PEDESTAL SEC 14" ABOVE GRD        | PENCELL                     | AG-15HDX-L35-EWB        | N   |             | 60    | EACH             | 196.76 |          | 145.00 | 223.71   | 175.00  |       |
| UJ000ST | JUNCTION BOX, SEC STD 20" GRD LEVEL - GREEN | PENCELL                     | PE20HDX                 | N   |             | 30    | EACH             | 170.17 |          | 103.80 | 130.33   | 87.00   |       |
| UL010ST | LOAD BREAK ELBOW 1/0 STR (W - TEST POINT)   | COOPER / ELASTIMOLD         | LE215C06T / 162LR-C5240 | N   |             | 500   | EACH             |        | 26.08    | 24.85  | 31.95    | 33.75   |       |
| UT00003 | TERMINATOR MOUNTING BRACKET 1/0 STR         | 3M                          | MB-3                    | N   |             | 120   | EACH             | 15.99  | 14.90    | 12.15  | 26.89    | 17.00   | 18.50 |
| UT00S10 | TERMINATOR STEM 1/0 STR ONLY                | 3M                          | SC00010                 | N   |             | 120   | EACH             | 19.22  | 13.85    | 13.00  | 31.67    | 19.00   | 22.00 |
| UT010ST | TERMINATOR 1/0 STR                          | 3M                          | 5641                    | N   |             | 120   | EACH             | 55.02  | 47.90    | 41.60  | 46.95    | 57.00   | 63.00 |
| WAP0002 | WIRE, PRIMARY #2 ACSR                       | SPARROW                     |                         |     |             | 2000  | POUND            | 1.83   | 1.83     | 1.83   | 1.61     | 1.71    |       |
| WAP0010 | WIRE, PRIMARY 1/0 ACSR                      | RAVEN                       |                         |     |             | 1000  | POUND            | 1.66   | 1.64     | 1.68   | 1.50     | 1.63    |       |
| WAP0336 | WIRE, PRIMARY 336.4 ACSR                    | MERLIN                      |                         |     |             | 10000 | FEET             | .67    | .67      |        | .607     | .67     |       |
| WAS002T | WIRE, SECONDARY #2 TRIPLEX                  | CONCH                       |                         |     |             | 20000 | FEET             | .73    | .72      | .60    | .564     | .57     |       |
| WAS004D | WIRE, SECONDARY #4 DUPLEX                   | TERRIER                     |                         |     |             | 10000 | FEET             | .30    |          | .32    | .285     | .33     |       |
| WAS004T | WIRE, SECONDARY #4 TRIPLEX                  | PERIWINKLE                  |                         |     |             | 5000  | FEET             | .45    | .48      | .46    | .420     | .52     |       |
| WAS006D | WIRE, SECONDARY #6 DUPLEX                   | SHEPHERD                    |                         |     |             | 10000 | FEET             | .20    | .26      | .26    | .220     | .25     |       |
| WAS006T | WIRE, SECONDARY #6 TRIPLEX                  | HIPPA                       |                         |     |             | 1000  | FEET             |        |          |        |          | .41     |       |
| WAS010T | WIRE, SECONDARY 1/0 TRIPLEX                 | NERITINA                    |                         |     |             | 10000 | FEET             | .96    | 1.06     | .85    | .796     | .86     |       |
| WAS040Q | WIRE, SECONDARY 4/0 QUADREPLEX              | APPALOOSA                   |                         |     |             | 1000  | FEET             | 1.88   |          | 2.25   | 2.14     | 2.52    |       |
| WAU004D | WIRE, UG SECONDARY #4 DUPLEX                | DELGADO                     |                         |     |             | 2000  | FEET             | .41    |          |        | .452     | .51     |       |
| WAU004T | WIRE, UG SECONDARY #4 TRIPLEX               | VASSAR                      |                         |     |             | 1000  | FEET             | .52    |          |        | .569     | .63     |       |
| WAU010T | WIRE, UG SECONDARY 1/0 TRIPLEX              | BRENAU                      |                         |     |             | 10000 | FEET             | .79    | .89      | .87    | .882     | .91     |       |
| WAU030T | WIRE, UG SECONDARY 3/0 TRIPLEX              | HOLLINS                     |                         |     |             | 12000 | FEET             | 1.28   |          | 1.23   | 1.27     | 1.48    |       |
| WAU040T | WIRE, UG SECONDARY 4/0 TRIPLEX              | SWEETBRIAR                  |                         |     |             | 2000  | FEET             | 1.29   | 1.43     | 1.40   | 1.38     | 1.38    |       |
| WAU350T | WIRE, UG SECONDARY 350 TRIPLEX              | WESLEYAN                    |                         |     |             | 6000  | FEET             | 2.12   | 2.37     | 2.20   | 2.40     | 2.27    |       |
| WCB0002 | WIRE, BARE COPPER #2                        |                             |                         |     |             | 12500 | FEET             | .99    | 1.04     |        | .705     | .85     |       |
| WCB004S | WIRE, BARE COPPER #4 SOFT DRAWN             |                             |                         |     |             | 30000 | FEET             | .58    | .68      | .52    | .435     | .55     |       |

| ITEM NO     | Description  | MFR  | MFG NO   | SUB | EST AVG QTY | UOM  | Wholesale Elect. | Wesco    | AR Elect. | lrby     | Techline | Elliott |
|-------------|--|--|----------|-----|-------------|------|------------------|----------|-----------|----------|----------|---------|
| WCB006S     | WIRE, BARE COPPER #6 SOFT DRAWN  |  |          |     | 31500       | FEET | .39              | .44      | .33       | .285     | .38      |         |
| WCI0020     | WIRE, INSULATED CU 2/0   |  |          |     | 3000        | FEET | 1.97             | 2.69     |           | 1.84     | 1.99     |         |
| WCI0040     | WIRE, INSULATED CU 4/0   |  |          |     | 1000        | FEET | 3.10             | 4.24     |           | 2.83     | 3.10     |         |
| WCI0101B    | WIRE, INSULATED CU THHN #10 SOL - BLACK  |  |          |     | 10000       | FEET | .18              | .25      |           | .1884    | .22      |         |
| WCI010W     | WIRE, INSULATED CU THHN #10 SOL - WHITE  |  |          |     | 5000        | FEET | .18              | .25      |           | .1884    | .22      |         |
| WO00012     | WASHER, ROUND 1/2"   |  |          |     | 1000        | EACH |                  |          | .42       | .13      | .15      |         |
| WO00058     | WASHER, SPRING 5/8"  | CHANCE   | C2050186 |     | 3000        | EACH |                  | .20      | .42       | .40      | .42      |         |
| WO0058S     | WASHER, SQUARE 5/8"  | CHANCE   | 6813     |     | 3000        | EACH |                  | .26      | .39       | .36      | .38      |         |
| ZA02524     | TRANSFORMER, 25KVA 7620 120-240, TAP CONV 2 BUSHING                                    | <u>See specifications attached</u>                             |          |     | 100         | EACH |                  | 1,019.00 | 915.00    | 1,195.00 | 878.00   |         |
| ZA05024 (*) | TRANSFORMER, 50KVA 7620 120-240, TAP CONV 2 BUSHING (SEE NLRED DIMENSION REQUIREMENTS) | <u>See detailed dimensions below - specifications attached</u> |          |     | 120         | EACH |                  | 1,402.00 | 1,205.00  | 1,547.00 | 1,231.00 |         |
|             |  | <b>(*) NLRED 50KVA</b>   |          |     |             |      |                  |          |           |          |          |         |
|             |  | <b>DIMENSIONS: Case H = 33", 42" w/ Bushing, W = 22.5"</b>     |          |     |             |      |                  |          |           |          |          |         |