

ITEM NO	Description	MFR	MFG NO	SUB	EST AVG QTY	UOM	Wholesale	Wesco	Technine	Armed
AA0000L	LUBRICANT (KNOCKER LOOSE)	CRC	03020	N	120	EACH	7.68	6.78	7.90	-
AH00003	3 1/2" SQUARE EXTENSIONS	CHANGE	12655		50	EACH	46.98	28.35	47.-	43.30
AH00005	5" SQUARE EXTENSIONS	CHANGE	12656		50	EACH	57.87	34.96	58.-	53.50
AH00010	ANCHOR, 10" EXPANDING	CHANGE	108234		50	EACH	31.77	34.40	33.-	36.64
AH000SS	ANCHOR, S&S 8" / 10" (WITH GUY ADAPTERS)	CHANGE	1265413AE	N	50	EACH	-	126.65	135.-	-
AH00348	ANCHOR ROD 3/4" x 8"	CHANGE	5358		25	EACH	20.24	12.60	22.90	19.15
AH00586	ANCHOR ROD 5/8" x 6"	CHANGE	5346		25	EACH	10.77	11.35	15.29	17.25
AH10HEL	ANCHOR, PISA 10"	MACLEAN	D104-6		100	EACH	22.64	20.30	23.-	23.60
AH12HEL	ANCHOR ROD 3/4" x 7" PISA	MACLEAN	D75D		100	EACH	20.21	17.15	22.-	19.89
AP00000	ARM PIN, STD 5/8"	CHANGE	881P		500	EACH	3.76	3.69	4.90	4.12
AS00000	ARRESTER, 10KV DISTRIBUTION (NORMAL DUTY)	COOPER OR OHIO BRASS	UNS10050A1A1B1A / 2172597324	N	300	EACH	-	29.65	29.80	NB
BD05820	BOLT DA 5/8" x 20"	CHANGE / MACLEAN	8870 / J8870		250	EACH	2.34	1.72	2.20	2.35
BD05822	BOLT DA 5/8" x 22"	CHANGE / MACLEAN	8872 / J8872		250	EACH	2.45	2.20	2.25	2.43
BE00058	BOLT EYELET 5/8"	CHANGE / LINE HARDWARE	B14A / BEL-58		600	EACH	2.33	2.65	4.05	3.54
BH00012	1/2" BRASS HEX NUT				1000	EACH	NB	NB	1.-	NB
BH00122	1/2" x 2" BRASS HEX BOLT (ALL THREAD)				2000	EACH			4.10	
BH012LW	1/2" BRASS LOCK WASHERS				1000	EACH			.60	
BH12000	1/2" BRASS FLAT WASHERS				1000	EACH			.99	
BH12212	1/2" x 2 1/2" BRASS HEX BOLT (ALL THREAD)				650	EACH			4.90	
BM00126	BOLT, MA 1/2" x 6"				500	EACH		.84	1.25	.98
BM05812	BOLT, MA 5/8" x 12"	CHANGE	8812		2000	EACH	1.16	1.03	1.23	1.13
BM05814	BOLT, MA 5/8" x 14"	CHANGE	8814		600	EACH	1.33	1.11	1.34	1.11
BR00001	BRACKET 1 SPOOL	CHANGE	0338		1000	EACH	3.84	4.66	6.90	5.38
BR0000P	BRACKET, ARRESTER POLE MNTG	MACLEAN	F102382 / J24518	N	750	EACH	NB	16.16	12.20	12.69
CA00336	336-336 CONNECTOR	BURNDY	WCY56 OR WCY56PB		30	EACH		11.95	18.20	NB
CA00795	795-795 AAC CONNECTOR	BURNDY	WCY72 or WCY72PB		30	EACH		24.22	34.-	NB
CC00009	COMPRESSION CONNECTOR, WR9	BLACKBURN	WR9		2000	EACH		.25	.37	.46
CC00139	COMPRESSION CONNECTOR, WR139	BLACKBURN	WR139		500	EACH		.34	.58	.73
CC00159	COMPRESSION CONNECTOR, WR159	BLACKBURN	WR159		1500	EACH		.33	.38	.48
CC00189	COMPRESSION CONNECTOR, WR189	BLACKBURN	WR189		1000	EACH		.33	.39	.48
CC00279	COMPRESSION CONNECTOR, WR279	BLACKBURN	WR279		500	EACH		.53	.64	.81
CC00289	COMPRESSION CONNECTOR, WR289	BLACKBURN	WR289		1000	EACH		.94	.70	.87
CC00389	COMPRESSION CONNECTOR, WR389	BLACKBURN	WR389		500	EACH		2.20	2.16	2.45
CL1520A	CLAMP, SMALL HOT LINE	HPS ANDERSON/BLACKBURN	S1520AGP /HLC2108AP9		600	EACH	5.93	7.56	9.-	11.23
CM00004	CONNECTOR, SPLIT-BOLT #4 CU	BLACKBURN / BURNDY	4H3 / KS203		600	EACH	NB	.75	1.30	1.67
CM00006	CONNECTOR, SPLIT-BOLT #6 CU	BLACKBURN / BURNDY	6H3 / KS173		500	EACH		.65	1.-	1.36
CM00010	CONNECTOR, SPLIT-BOLT 1/0 CU	BLACKBURN / BURNDY	10H / KS25		100	EACH		1.43	2.01	5.42
CM00020	CONNECTOR, SPLIT-BOLT 2/0 CU	BLACKBURN / BURNDY	20H / KS26		100	EACH		1.73	4.-	7.52
CM0002S	CONNECTOR, SPLIT-BOLT #2 STR CU	BLACKBURN / BURNDY	1H / KS23		600	EACH		1.-	1.59	3.42
CM00040	CONNECTOR, SPLIT-BOLT 4/0 CU	BLACKBURN / BURNDY	40H / KS29		100	EACH		5.07	9.95	10.57

ITEM NO	Description	MFR	MFG NO	SUB	EST AVG QTY	UOM	Whideale	Wesco	tecline	Anytek
CM00500	CONNECTOR, 2 BOLT ALL PURPOSE	BLACKBURN / BURNDY	2B500PW / KVSU34			100 EACH	NB	12.35	15.60	15.77
CM01000	CONNECOTR, 2 BOLT ALL PURPOSE	BLACKBURN / BURNDY	2B1000PW / KVSU44			50 EACH		15.89	35.-	57.65
CR00001	CROSSARM BRACE (REVERSIBLE-UNDEARM STYLE)	ALUMA FORM	RA6018			600 EACH		7.57	16.18	16.31
CR0008S	CROSSARM, 8' STD 3 5/8" x 4 5/8"		BXARM8FC-25BDL			300 EACH		41.-	41.25	307.15
CR000P1	CROSSARM, DEAD-END FIBERGLASS (SGL)	PUPI	DA2500-96E3-B73	N		30 EACH	NB			NB
CR000P2	CROSSARM, DEAD-END FIBERGLASS (DBL)	PUPI	DA3000-96E3-B73	N		30 EACH	1			NB
CR000SA	STAND OFF BRACKET SINGLE POSITION (3-PHASE)	ALUMA FORM	F3CA-MV-H4818-S1-H			100 EACH		109.45	115.-	100.71
CR000SA1	STAND OFF BRACKET SINGLE POSITION (1PHASE)	ALUMA FORM	F1CA-MV-H18-S1-H			100 EACH		21.15	29.-	26.12
CR000SAB	STAND OFF BRACKET-SPACER BAR (WITH HARDWARE)	ALUMA FORM	S1-BAR-T8-H			100 EACH		5.88	7.-	6.65
DB00336	DEAD-END AL BOLTED 4/0-336 ACSR SPRING LOADED	ANDERSON	ADEZ88N			100 EACH		9.98	14.55	14.10
DB00620	DEAD-END AL BOLTED 6-2/0 ACSR SPRING LOADED	ANDERSON	ASOD3981N			500 EACH		5.75	7.53	7.55
DB00795S	DEAD-END BOLTED AL PRI 795 -SPRING LOADED	ANDERSON/MACLEAN	ADEZ116N / HDS0116			150 EACH		15.75	20.50	17.80
DH00000	DRIVE HOOKS (J HOOK)	CHANCE / MACLEAN	C205-0190 / J3316P			200 EACH	.58	.68	.93	.75
DS00002	DEAD-END SERVICE GRIP #2	PREFORMED	SG-4504			600 EACH	.69	.74	.79	.77
DS00004	DEAD-END SERVICE GRIP #4	PREFORMED	SG-4502			500 EACH	.62	.59	.60	.74
DS00006	DEAD-END SERVICE GRIP #6	PREFORMED	SG-4500			200 EACH	.58	.57	.60	.64
DS00010	DEAD-END SERVICE GRIP 1/0	PREFORMED	SG-4506			200 EACH	1.09	1.24	1.29	1.21
DW02040	DEAD-END SERVICE WEDGE 2/0-4/0 ACSR	BLACKBURN	W40-1FC			100 EACH	NB	3.05	4.25	3.47
EN00058	EYE NUT 5/8", OVAL	LINE HARDWARE	OEN-58			500 EACH	1.26	1.34	2.39	1.42
FI0H000	FAULT INDICATOR, OVERHEAD		See attached specifications	N		30 EACH	NB	195.80	260.-	NB
FIUG000	FAULT INDICATOR, UNDERGROUND		See attached specifications	N		30 EACH		265.25	193.-	
FL00KS5	FUSE LINKS KS 5 AMP	KEARNEY	21005	N		500 EACH		4.35	4.90	
FL00KS7	FUSE LINKS KS 7 AMP	KEARNEY	21007	N		200 EACH		4.35	4.90	
FL0KS10	FUSE LINKS KS 10 AMP	KEARNEY	21010	N		500 EACH		4.35	4.90	
FL0KS30	FUSE LINKS KS 30 AMP	KEARNEY	21030	N		250 EACH		4.74	5.30	
FL0KS65	FUSE LINKS KS 65 AMP	KEARNEY	21065	N		250 EACH		7.13	6.55	
GC00058	GROUND CLAMP 5/8"	BLACKBURN	G5			1000 EACH	2.27	1.34	1.27	1.33
GD00588	GROUND ROD 8"					500 EACH	8.83	6.35	9.65	10.-
GG0010M	10M GUY GRIP	PREFORMED	AWDE-4116	EM		750 EACH	2.26	3.03	3.01	2.25
GG0020M	20M GUY GRIP	PREFORMED	AWDE-4126	EM		250 EACH	11.-	11.04	11.45	
GI00012	GUY INSULATOR ROD 12'	MACLEAN	GCC15144R			30 EACH	21.55	21.73	25.-	25.84
GI00078	GUY INSULATOR ROD 78"	MACLEAN	GCC1578R			200 EACH	15.96	17.14	11.25	20.15
GI0020M	GUY INSULATOR ROD - 20M	MACLEAN	GCC3096R			30 EACH		30.21	45.-	42.95
GP00000	GUY GUARD - YELLOW	PREFORMED	PG-5518			500 EACH	4.36	4.37	2.45	7.48
GR0010M	10M GUY WIRE					10000 FEET	.24	.25	.31 ft	
GR0020M	20M GUY WIRE					1000 FEET	.56	.59	.63 ft	
GS0000C	SIDEWALK GUY CLAMP END FITTING	CHANCE	0502			25 EACH	12.25	15.42	21.35	16.62
GS0000P	SIDEWALK GUY POLE PLATE	CHANCE	0501			25 EACH	9.05	11.95	18.10	11.70
GT00058	GUT ATTACHMENT 5/8" (POLE EYE PLATE)	CHANCE	GEP5 / GEP5A	N		500 EACH		5.50	7.21	
GW00058	GUY WASHER 5/8"	MACLEAN	J113			500 EACH	1.66	1.62	.90	.85

ITEM NO	Description	MFR	MFG NO	SUB	EST AVG QTY	UOM	Wholesale	Wesco	Teeline	Price	
GW00058	INSULATOR, PIN (F-NECK)	PORCELAIN PRODUCTS / VICTOR INSULATORS	366S / VI 606R		2000	EACH	2.93	4.45	2.90	4.98	
IN0000S	INSULATOR, 3" SPOOL	PORCELAIN PRODUCTS / VICTOR INSULATORS	5101 / VI 2612		1000	EACH	.63	.95	.65	1.55	
IN000PO	INSULATOR, 15KV POLYMER	OHIO BRASS	4010150215	N	675	EACH	NB	8.55	10.10	-	
IS00022	INSULINK 2-2	BLACKBURN	ICS73-1		1000	EACH		.37	.44	.75	
IS00024	INSULINK 2-4	BLACKBURN	ICS72-1		1000	EACH		.37	.46	.76	
IS00026	INSULINK 2-6	BLACKBURN	ICS71-1		500	EACH		.37	.49	.79	
IS00044	INSULINK 4-4	BLACKBURN	ICS68-1		600	EACH		.37	.46	.76	
IS00046	INSULINK 4-6	BLACKBURN	ICS67-1		300	EACH		.41	.52	.82	
IS00066	INSULINK 6-6	BLACKBURN	ICS64-1		300	EACH		.38	.47	.77	
IS00102	INSULINK 1/0 - 2	BLACKBURN	ICS77-1		500	EACH		.37	.47	.77	
IS01010	INSULINK 1/0 - 1/0	BLACKBURN	ICS78-1		500	EACH		.36	.49	.80	
LU02600	LUG, 4 HOLE 4C 2-600	BLACKBURN	ADR60-44D	EM	300	EACH		36.-	36.40	50.90	50.66
LU06350	LUG, 2 HOLE 2C 6 350	BURNDY	KK2A36U-2N		30	EACH		7.00	17.50	90.-	NB
LU06400	LUG, 6 HOLE 4C LAY-IN CONNECTOR	CMC/ESP UTILITY PRODUCTS	DLI600-4	N	500	EACH	NB	NB	55.35		
PC00000	POLE CRETE STABILIZER	POLY-SET	PS210		120	EACH	NB	NB	32.-		
PO00018	POLE TOP PIN 18"	CHANCE	2170		150	EACH	10.32	6.51	8.65	6.45	
PV00002	WIRE PULLING LUBRICANT	THOMAS & BETTS	PJ-128	N	120	EACH	17.98	16.75	17.-	-	
PV00003	CABLE CLEANER & DEGREASER	CRC	02150	N	120	CAN	7.44	7.05	9.15	-	
PV00005	PVC GLUE (IN 1 QUART CANS)	CANTEX / CARLON	PVC No. 99 (7210603) / VC9982	N	120	CAN	10.90	NB	20.25	-	
PV20000	2" PVC SCHEDULE 40 CONDUIT (20' Length)	CARLON	49011-20		28000	FEET	.59	.55	.59ft	.64	
PV20001	2" PVC SCHEDULE 40 COUPLING	CARLON	E940J		100	EACH	.37	.39	1.03	.44	
PV20001L	2" PVC SCHEDULE 40 COUPLING - LONG LINE	CARLON	E941J		500	EACH	.92	3.07	2.35	4.-	
PV20002	2" PVC SCHEDULE 40 LONG 90° ELBOW (36" Radius)	CARLON	UA9FJ		150	EACH	5.50	7.-	10.25	15.17	
PV20003	2" PVC SCHEDULE 40 SHORT 90° ELBOW				75	EACH	1.29	1.59	1.95	1.84	
PV30000	3" PVC SCHEDULE 40 CONDUIT (10' Length)	CARLON	49013-10		3000	FEET	1.11	1.11	1.25ft	1.22	
PV30001	3" PVC SCHEDULE 40 COUPLING		E940L		50	EACH	.99	1.12	2.20	1.28	
PV30001L	3" PVC SCHEDULE 40 COUPLING - LONG LINE	CARLON	E941L		100	EACH	4.04	8.05	4.40	5.25	
PV30002	3" PVC SCHEDULE 40 LONG 90° ELBOW (36" Radius)	CARLON	UA9FL		30	EACH	10.75	13.97	18.-	30.26	
PV30003	3" PVC SCHEDULE 40 SHORT 90° ELBOW				20	EACH	4.05	4.86	4.90	5.34	
PV40000	4" PVC SCHEDULE 40 CONDUIT (10' Length)	CARLON	49015-10		5000	FEET	1.49	1.53	1.47ft	1.58	
PV40001	4" PVC SCHEDULE 40 COUPLING				50	EACH	1.54	1.64	5.-	1.86	
PV40001L	4" PVC SCHEDULE 40 COUPLING - LONG LINE	CARLON	E941N		100	EACH	5.66	9.38	6.10	12.91	
PV40002	4" PVC SCHEDULE 40 LONG 90° ELBOW (36" Radius)	CARLON	UA9FN		30	EACH	15.85	19.95	19.35	43.26	
PV40003	4" PVC SCHEDULE 40 SHORT 90° ELBOW				20	EACH	6.75	8.35	10.55	9.15	
SAA0010	SPLICE AL AUTO 1/0 ACSR	FARGO	GL-406-A		100	EACH	NB	5.95	6.95	7.05	
SAA0024	SPLICE AL AUTO 2 - 4 ACSR	FARGO	GL-4042A		100	EACH		4.45	5.35	4.85	
SAA0040	SPLICE AL AUTO 4/0 ACSR	FARGO	GL-409A		100	EACH		11.65	13.25	12.85	
SAA0336	SPLICE AL AUTO 336 ACSR	FARGO	GL-411		100	EACH		13.55	16.40	15.15	
SAA0795	SPLICE AL AUTO 795 AAC	FARGO	GL1385A		30	EACH		NB	40.60	NB	

ITEM NO	Description	MFR	MFG NO	SUB	EST AVG QTY	UOM	Wholesale	Wesco	Technine	Amickte
SAA0795D	SPLICE AL AUTO 795 ASCR (DRAKE)	FARGO	GL1441A		30	EACH	NB	79.90	92.20	NB
SAN0002	SPLICE AL COMP SVC NEUT #2	BLACKBURN	TR64		500	EACH		1.05	1.24	1.40
SAN0004	SPLICE AL COMP SVC NEUT #4	BLACKBURN	TR63		300	EACH		1.06	1.26	1.42
SAN0006	SPLICE AL COMP SVC NEUT #6	BLACKBURN	TR61		300	EACH		1.05	1.26	1.42
SAN0010	SPLICE AL COMP SVC NEUT 1/0	BURNDY	YSC25R		200	EACH		3.15	2.95	6.00
SAN0040	SPLICE AL COMP SVC NEUT 4/0	BURNDY	YSD28R28R		100	EACH		2.17	2.1	-
SC00000	SCREW, LAG	CHANCE	508754		1000	EACH	.25	.55	.80	.78
SCA0250	SPLICE CU AUTO #2 SOL	FARGO	GL-114		100	EACH	NB	5.20	8.35	5.87
SCA025T	SPLICE CU AUTO #2 STR	FARGO	GL-115		100	EACH		5.22	8.37	6.47
SCA0450	SPLICE CU AUTO #4 SOL	FARGO	GL-112		100	EACH		2.85	3.60	3.50
SCA0650	SPLICE CU AUTO #6 SOL	FARGO	GL-111		100	EACH		2.87	2.99	3.20
SR00000	STIRRUP, BAIL	BURNDY	J990		300	EACH		2.90	4.1	-
SR000SM	STIRRUP, SMALL	ANDERSON	AHLS022019E		100	EACH		8.85	10.65	10.62
SR00336	STIRRUP, 336	ANDERSON	AHLS397021E		100	EACH		18.90	17.45	22.1
SR00795	STIRRUP, 795	ANDERSON	AHLS954022E		100	EACH		27.91	36.65	34.70
SR00SMB	STIRRUP, BRONZE	ANDERSON	BHLS022016E		100	EACH		17.10	21.1	NB
SW0000C	SWITCH, COMBINATION (POLYMER)	CHANCE	CP71DM112PB	N	100	EACH		157.61	128.60	
SW00100	SWITCH, CUTOFF 100AMP (POLYMER)	CHANCE	CP710112PB	N	400	EACH		53.80	90.60	
SW00200	SWITCH, CUTOFF 200AMP (POLYMER)	CHANCE	CP710143PB	N	30	EACH		115.25	145.1	
SW900AB	SWITCH, VECTOR ASSEMBLY (SEE SPECIFICATIONS)	SIEMENS	973X-AHT	N	20	EACH		2840.1	2950.1	
TC0000L	X-CLUSTER MOUNT - LARGE	ALUMA FORM	15M3-6		30	EACH		170.33	205.1	190.40
TG000BC	BUSHING COVER	SALISBURY	21116		480	EACH		9.80	20.45	11.12
TL00000	X TANK GROUND LUGS	ANDERSON	GTCS21		500	EACH		2.27	2.75	-
TT00033	TAPE, SUPER 33+	3M SCOTCH	054007-06132		2000	ROLL	4.02	3.77	3.95	-
UA0000B	ARRESTER, BUSHING	ELASTIMOLD	167BSA1010BX		30	EACH	NB	-	185.1	206.75
UA0000D	ARRESTER, DIP-POLE/RISER (HEAVY DUTY)	COOPER OR OHIO BRASS	URS10050A1A1A / 2216097324	N	300	EACH		33.52	45.60	-
UA0000E	ARRESTER, ELBOW	ELASTIMOLD	167ESA1010BX	N	30	EACH		-	41.1	68.1
UA0000P	ARRESTER, PARKING	ELASTIMOLD	167PSA101BX	N	30	EACH		-	175.1	164.75
UB0000I	BUSHING INSERT (BUSHING WELL INSERT)	COOPER	LBI-215		30	EACH		29.72	29.40	-
UB0000P	BUSHING, INSULATED PARKING (STAND OFF PLUG)	ELASTIMOLD	161SOPBG	N	30	EACH		-	36.1	39.08
UC0000S	CLUSTER EQUIPMENT MOUNT SWITCH	ALUMA FORM	R3CA		20	EACH		112.85	110.1	127.15
UC0000T	CLUSTER EQUIPMENT MOUNT TERMINATER	ALUMA FORM	TBEMB16PA35		20	EACH		53.64	65.50	62.15
UE00001	ENCLOSURE, FEED-THRU 1 PHASE	See attached specifications		P	30	EACH		-	400.1	NB
UE00003	ENCLOSURE, FEED-THRU 3 PHASE	See attached specifications		P	30	EACH		-	625.1	
UE0000C	ENCLOSURE SLEEVE (FIBERCRETE)	CONCAST	FC-40-43-15-2215-(5)	N	30	EACH		254.1	260.1	
UE000S1	ENCLOSURE FEED-THRU GROUND SLEEVE 1 PHASE	See attached specifications		P	30	EACH	94.14	NB	135.1	
UE000S3	ENCLOSURE FEED-THRU GROUND SLEEVE 3 PHASE	See attached specifications		P	30	EACH	173.40		205.1	
UF0000H	FEED-THRU HORIZONTAL PARKING	COOPER	RTE 2637168CO1M		20	EACH	NB	26.03	26.1	
UI0000C	INSULATED CAP	COOPER	LPC215		90	EACH	NB	26.03	26.1	
UJ00002	JUNCTION, 2 WAY LOADBREAK W/ "U" STRAPS	COOPER / ELASTIMOLD	LJ215C2U / 164J2-5		30	EACH	NB	128.35	111.1	119.02

ITEM NO	Description	MFR	MFG NO	SUB	EST AVG QTY	UOM	Wholesale	WESCO	Kenline	Amulet
UJ00003	JUNCTION, 3 WAY LOADBREAK W/ "U" STRAPS	COOPER / ELASTIMOLD	LJ215C3U / 164J3-5		30	EACH	MB	143-	125.-	121.35
UJ00004	JUNCTION, 4 WAY LOADBREAK W/ "U" STRAPS	COOPER	LJ215C4U / 164J4-5		10	EACH	MB	157.70	159.-	MB
UJ0000P	JUNCTION, PEDESTAL SEC 14" ABOVE GRD	PENCELL	AG-15HDX-L35-EWB	N	60	EACH	164.50	-	168.20	MB
UJ000ST	JUNCTION BOX, SEC STD 20" GRD LEVEL - GREEN	PENCELL	PE20HDX	N	30	EACH	74.87	-	84.-	
UL010ST	LOAD BREAK ELBOW 1/0 STR (W - TEST POINT)	COOPER / ELASTIMOLD	LE215C06T / 162LR-C5240	N	500	EACH	-	30.05	26.05	
UT00003	TERMINATOR MOUNTING BRACKET 1/0 STR	3M	MB-3	N	120	EACH	15.99	14.19	17.-	
UT00S10	TERMINATOR STEM 1/0 STR ONLY	3M	SC00010	N	120	EACH	18.84	12.45	18.95	
UT010ST	TERMINATOR 1/0 STR	3M	5641	N	120	EACH	71.31	45.05	56.-	
WAP0002	WIRE, PRIMARY #2 ACSR	SPARROW			2000	POUND	1.76	1.65	1.6816	1.46
WAP0010	WIRE, PRIMARY 1/0 ACSR	RAVEN			1000	POUND	1.57	1.56	1.6016	1.42
WAP0336	WIRE, PRIMARY 336.4 ACSR	MERLIN			10000	FEET	1.74	.58	1.6716	1.48
WAS002T	WIRE, SECONDARY #2 TRIPLEX	CONCH			20000	FEET	.70	.56	.56	.42
WAS004D	WIRE, SECONDARY #4 DUPLEX	TERRIER			10000	FEET	.29	-	.33	.24
WAS004T	WIRE, SECONDARY #4 TRIPLEX	PERIWINKLE			5000	FEET	.45	.54	.51	.32
WAS006D	WIRE, SECONDARY #6 DUPLEX	SHEPHERD			10000	FEET	.19	.265	.25	.17
WAS006T	WIRE, SECONDARY #6 TRIPLEX	HIPPA			1000	FEET	.30	-	.38	.34
WAS010T	WIRE, SECONDARY 1/0 TRIPLEX	NERITINA			10000	FEET	1.07	.79	.84	.64
WAS040Q	WIRE, SECONDARY 4/0 QUADREPLEX	APPALOOSA			1000	FEET	2.28	-	2.10	1.77
WAU004D	WIRE, UG SECONDARY #4 DUPLEX	DELGADO			2000	FEET	.37	MB	.47	.34
WAU004T	WIRE, UG SECONDARY #4 TRIPLEX	VASSAR			1000	FEET	.47	-	.60	.43
WAU010T	WIRE, UG SECONDARY 1/0 TRIPLEX	BRENAU			10000	FEET	.82	.89	.86	.80
WAU030T	WIRE, UG SECONDARY 3/0 TRIPLEX	HOLLINS			12000	FEET	1.28	-	1.40	1.08
WAU040T	WIRE, UG SECONDARY 4/0 TRIPLEX	SWEETBRIAR			2000	FEET	1.28	1.20	1.33	1.23
WAU350T	WIRE, UG SECONDARY 350 TRIPLEX	WESLEYAN			6000	FEET	2.38	2.05	2.27	1.97
WCB0002	WIRE, BARE COPPER #2				12500	FEET	.83	.72	.84	.68
WCB004S	WIRE, BARE COPPER #4 SOFT DRAWN				30000	FEET	.57	.45	.54	.44
WCB006S	WIRE, BARE COPPER #6 SOFT DRAWN				31500	FEET	.32	.29	.37	.28
WCI0020	WIRE, INSULATED CU 2/0				3000	FEET	1.59	1.51	1.99	1.53
WCI0040	WIRE, INSULATED CU 4/0				1000	FEET	2.57	2.37	3.05	2.40
WCI0101B	WIRE, INSULATED CU THHN #10 SOL - BLACK				10000	FEET	.15	.15	.20	.14
WCI010W	WIRE, INSULATED CU THHN #10 SOL - WHITE				5000	FEET	.15	.15	.20	.14
WO00012	WASHER, ROUND 1/2"				1000	EACH	MB	-	.13	-
WO00058	WASHER, SPRING 5/8"	CHANCE	C2050186		3000	EACH	MB	.20	.40	.20
WO0058S	WASHER, SQUARE 5/8"	CHANCE	6813		3000	EACH	.25	.25	.35	.20
ZA02524	TRANSFORMER, 25KVA 7620 120-240, TAP CONV 2 BUSHING	<u>See specifications attached</u>			100	EACH	MB	941.-	940.-	MB
ZA05024 (*)	TRANSFORMER, 50KVA 7620 120-240, TAP CONV 2 BUSHING (SEE NLRED DIMENSION REQUIREMENTS)	<u>See detailed dimensions below - specifications attached</u>			120	EACH	MB	1290.-	1280.-	MB
		(*) NLRED 50KVA DIMENSIONS: Case H = 33", 42" w/ Bushing, W = 22.5"								

ITEM NO	Description	MFR	MFG NO	SUB	EST AVG QTY	UOM	City Electric	AK Elect Coop.	IRby	Elliott
AA0000L	LUBRICANT (KNOCKER LOOSE)	CRC	03020	N	120	EACH	10.99		7.35	8.23
AH00003	3 1/2" SQUARE EXTENSIONS	CHANCE	12655		50	EACH		60.00	36.94	
AH00005	5" SQUARE EXTENSIONS	CHANCE	12656		50	EACH		66.41	42.17	
AH00010	ANCHOR, 10" EXPANDING	CHANCE	108234		50	EACH		38.14	27.35	
AH000SS	ANCHOR, S&S 8" / 10" (WITH GUY ADAPTERS)	CHANCE	1265413AE	N	50	EACH		201.25	139.68	
AH00348	ANCHOR ROD 3/4" x 8"	CHANCE	5358		25	EACH		24.00	18.10	
AH00586	ANCHOR ROD 5/8" x 6"	CHANCE	5346		25	EACH		17.25	13.67	
AH10HEL	ANCHOR, PISA 10"	MACLEAN	D104-6		100	EACH		27.25	20.45	
AH12HEL	ANCHOR ROD 3/4" x 7" PISA	MACLEAN	D75D		100	EACH		19.45	18.71	
AP00000	ARM PIN, STD 5/8"	CHANCE	881P		500	EACH		5.60	3.77	
AS00000	ARRESTER, 10KV DISTRIBUTION (NORMAL DUTY)	COOPER OR OHIO BRASS	UNS10050A1A1B1A / 2172597324	N	300	EACH		37.00	36.68	
BD05820	BOLT DA 5/8" x 20"	CHANCE / MACLEAN	8870 / J8870		250	EACH		3.60	1.86	
BD05822	BOLT DA 5/8" x 22"	CHANCE / MACLEAN	8872 / J8872		250	EACH		3.80	2.00	
BE00058	BOLT EYELET 5/8"	CHANCE / LINE HARDWARE	B14A / BEL-58		600	EACH		4.20	2.43	
BH00012	1/2" BRASS HEX NUT				1000	EACH			.59	
BH00122	1/2" x 2" BRASS HEX BOLT (ALL THREAD)				2000	EACH			2.02	
BH012LW	1/2" BRASS LOCK WASHERS				1000	EACH			.28	
BH12000	1/2" BRASS FLAT WASHERS				1000	EACH			.39	
BH12212	1/2" x 2 1/2" BRASS HEX BOLT (ALL THREAD)				650	EACH			2.55	
BM00126	BOLT, MA 1/2" x 6"				500	EACH		.90	1.25	
BM05812	BOLT, MA 5/8" x 12"	CHANCE	8812		2000	EACH		1.10	1.00	
BM05814	BOLT, MA 5/8" x 14"	CHANCE	8814		600	EACH		1.20	1.15	
BR00001	BRACKET 1 SPOOL	CHANCE	0338		1000	EACH		7.50	5.26	
BR0000P	BRACKET, ARRESTER POLE MNTG	MACLEAN	F102382 / J24518	N	750	EACH			11.83	
CA00336	336-336 CONNECTOR	BURNDY	WCY56 OR WCY56PB		30	EACH		18.15	17.90	11.81
CA00795	795-795 AAC CONNECTOR	BURNDY	WCY72 or WCY72PB		30	EACH		31.36	30.92	51.50
CC00009	COMPRESSION CONNECTOR, WR9	BLACKBURN	WR9		2000	EACH	1.76	.35	.37	63.33c
CC00139	COMPRESSION CONNECTOR, WR139	BLACKBURN	WR139		500	EACH	2.02	.62	.59	93.33c
CC00159	COMPRESSION CONNECTOR, WR159	BLACKBURN	WR159		1500	EACH	1.79	.37	.38	63.33c
CC00189	COMPRESSION CONNECTOR, WR189	BLACKBURN	WR189		1000	EACH	2.23	.37	.39	63.33c
CC00279	COMPRESSION CONNECTOR, WR279	BLACKBURN	WR279		500	EACH	3.63	.57	.65	101.11c
CC00289	COMPRESSION CONNECTOR, WR289	BLACKBURN	WR289		1000	EACH		.62	.70	1,110.00c
CC00389	COMPRESSION CONNECTOR, WR389	BLACKBURN	WR389		500	EACH	7.94	2.32	2.17	413.33c
CL1520A	CLAMP, SMALL HOT LINE	HPS ANDERSON/BLACKBURN	S1520AGP /HLC2108AP9		600	EACH		9.40	10.12	
CM00004	CONNECTOR, SPLIT-BOLT #4 CU	BLACKBURN / BURNDY	4H3 / KS203		600	EACH	1.89	1.20	1.16	159.45c
CM00006	CONNECTOR, SPLIT-BOLT #6 CU	BLACKBURN / BURNDY	6H3 / KS173		500	EACH	1.56	1.00	.88	131.71c
CM00010	CONNECTOR, SPLIT-BOLT 1/0 CU	BLACKBURN / BURNDY	10H / KS25		100	EACH	3.89	2.29	1.77	456.76c
CM00020	CONNECTOR, SPLIT-BOLT 2/0 CU	BLACKBURN / BURNDY	20H / KS26		100	EACH	6.29	3.24	3.73	633.15c
CM0002S	CONNECTOR, SPLIT-BOLT #2 STR CU	BLACKBURN / BURNDY	1H / KS23		600	EACH	3.00	1.56	1.38	284.82c
CM00040	CONNECTOR, SPLIT-BOLT 4/0 CU	BLACKBURN / BURNDY	40H / KS29		100	EACH	9.91	9.62	9.25	873.71c

ITEM NO	Description	MFR	MFG NO	SUB	EST AVG QTY	UOM	City Elect.	AR Elect Coop.	1rby	Elliott
CM00500	CONNECTOR, 2 BOLT ALL PURPOSE	BLACKBURN / BURNDY	2B500PW / KVSU34		100	EACH		15.40	13.85	1660.46c
CM01000	CONNECOTR, 2 BOLT ALL PURPOSE	BLACKBURN / BURNDY	2B1000PW / KVSU44		50	EACH		30.40	28.15	5091.70c
CR00001	CROSSARM BRACE (REVERSIBLE-UNDEARM STYLE)	ALUMA FORM	RA6018		600	EACH		15.63	13.50	
CR0008S	CROSSARM, 8' STD 3 5/8" x 4 5/8"		BXARM8FC-25BDL		300	EACH			46.69	
CR000P1	CROSSARM, DEAD-END FIBERGLASS (SGL)	PUPI	DA2500-96E3-B73	N	30	EACH		220.30		
CR000P2	CROSSARM, DEAD-END FIBERGLASS (DBL)	PUPI	DA3000-96E3-B73	N	30	EACH		255.50		
CR000SA	STAND OFF BRACKET SINGLE POSITION (3-PHASE)	ALUMA FORM	F3CA-MV-H4818-S1-H		100	EACH		126.00	98.85	
CR000SA1	STAND OFF BRACKET SINGLE POSITION (1PHASE)	ALUMA FORM	F1CA-MV-H18-S1-H		100	EACH		26.20	21.05	
CR000SAB	STAND OFF BRACKET-SPACER BAR (WITH HARDWARE)	ALUMA FORM	S1-BAR-T8-H		100	EACH		6.58	5.94	
DB00336	DEAD-END AL BOLTED 4/0-336 ACSR SPRING LOADED	ANDERSON	ADEZ88N		100	EACH		16.65	12.46	
DB00620	DEAD-END AL BOLTED 6-2/0 ACSR SPRING LOADED	ANDERSON	ASOD3981N		500	EACH		7.45	6.35	
DB00795S	DEAD-END BOLTED AL PRI 795 -SPRING LOADED	ANDERSON/MACLEAN	ADEZ116N / HDS0116		150	EACH		21.40	16.62	
DH00000	DRIVE HOOKS (J HOOK)	CHANCE / MACLEAN	C205-0190 / J3316P		200	EACH		1.03	.66	
DS00002	DEAD-END SERVICE GRIP #2	PREFORMED	SG-4504		600	EACH		.80	.75	
DS00004	DEAD-END SERVICE GRIP #4	PREFORMED	SG-4502		500	EACH		.64	.59	
DS00006	DEAD-END SERVICE GRIP #6	PREFORMED	SG-4500		200	EACH		.60	.57	
DS00010	DEAD-END SERVICE GRIP 1/0	PREFORMED	SG-4506		200	EACH		1.32	1.25	
DW02040	DEAD-END SERVICE WEDGE 2/0-4/0 ACSR	BLACKBURN	W40-1FC		100	EACH		3.95	3.15	5.51
EN00058	EYE NUT 5/8", OVAL	LINE HARDWARE	OEN-58		500	EACH		1.25	1.15	
FIOH000	FAULT INDICATOR, OVERHEAD	See attached specifications		N	30	EACH			265.26	
FIUG000	FAULT INDICATOR, UNDERGROUND	See attached specifications		N	30	EACH			195.77	
FLO0KS5	FUSE LINKS KS 5 AMP	KEARNEY	21005	N	500	EACH		3.60		
FLO0KS7	FUSE LINKS KS 7 AMP	KEARNEY	21007	N	200	EACH		3.67		
FLOKS10	FUSE LINKS KS 10 AMP	KEARNEY	21010	N	500	EACH		4.31		
FLOKS30	FUSE LINKS KS 30 AMP	KEARNEY	21030	N	250	EACH		3.86		
FLOKS65	FUSE LINKS KS 65 AMP	KEARNEY	21065	N	250	EACH		5.99		
GC00058	GROUND CLAMP 5/8"	BLACKBURN	G5		1000	EACH	2.29	.99	1.35	101.91c
GD00588	GROUND ROD 8'				500	EACH		10.15	9.92	
GG0010M	10M GUY GRIP	PREFORMED	AWDE-4116	EM	750	EACH		3.28	3.06	
GG0020M	20M GUY GRIP	PREFORMED	AWDE-4126	EM	250	EACH		11.67	11.17	
GI00012	GUY INSULATOR ROD 12'	MACLEAN	GCC15144R		30	EACH		31.55	21.95	
GI00078	GUY INSULATOR ROD 78'	MACLEAN	GCC1578R		200	EACH		23.50	17.39	
GI0020M	GUY INSULATOR ROD - 20M	MACLEAN	GCC3096R		30	EACH		46.25	36.59	
GP00000	GUY GUARD - YELLOW	PREFORMED	PG-5518		500	EACH		3.25	4.41	
GR0010M	10M GUY WIRE				10000	FEET		.27	.228	
GR0020M	20M GUY WIRE				1000	FEET		.62	.595	
GS0000C	SIDEWALK GUY CLAMP END FITTING	CHANCE	0502		25	EACH		22.55	15.58	
GS0000P	SIDEWALK GUY POLE PLATE	CHANCE	0501		25	EACH		18.95	12.39	
GT00058	GUT ATTACHMENT 5/8" (POLE EYE PLATE)	CHANCE	GEP5 / GEP5A	N	500	EACH		6.85	3.40	
GW00058	GUY WASHER 5/8"	MACLEAN	J113		500	EACH		1.15	.59	

ITEM NO	Description	MFR	MFG NO	SUB	EST AVG QTY	UOM	City Elect.	AR Elect.	Irby	Elliott
GW00058	INSULATOR, PIN (F-NECK)	PORCELAIN PRODUCTS / VICTOR INSULATORS	366S / VI 606R		2000	EACH		3.89	3.10	
IN0000S	INSULATOR, 3" SPOOL	PORCELAIN PRODUCTS / VICTOR INSULATORS	5101 / VI 2612		1000	EACH		.76	.65	
IN000PO	INSULATOR, 15KV POLYMER	OHIO BRASS	4010150215	N	675	EACH		11.35	11.09	
IS00022	INSULINK 2-2	BLACKBURN	ICS73-1		1000	EACH		.40	.44	63.33c
IS00024	INSULINK 2-4	BLACKBURN	ICS72-1		1000	EACH		.40	.46	63.33c
IS00026	INSULINK 2-6	BLACKBURN	ICS71-1		500	EACH		.41	.49	63.33c
IS00044	INSULINK 4-4	BLACKBURN	ICS68-1		600	EACH		.41	.46	63.33c
IS00046	INSULINK 4-6	BLACKBURN	ICS67-1		300	EACH		.42	.52	63.33c
IS00066	INSULINK 6-6	BLACKBURN	ICS64-1		300	EACH		.42	.47	63.33c
IS00102	INSULINK 1/0 - 2	BLACKBURN	ICS77-1		500	EACH		.41	.47	63.33c
IS01010	INSULINK 1/0 - 1/0	BLACKBURN	ICS78-1		500	EACH		.40	.50	63.33c
LU02600	LUG, 4 HOLE 4C 2-600	BLACKBURN	ADR60-44D	EM	300	EACH	54.99	45.57	10.55	4012.38c
LU06350	LUG, 2 HOLE 2C 6 350	BURNDY	KK2A36U-2N		30	EACH	10.76	84.57	4.25	
LU06400	LUG, 6 HOLE 4C LAY-IN CONNECTOR	CMC/ESP UTILITY PRODUCTS	DLI600-4	N	500	EACH			27.15	
PC00000	POLE CRETE STABILIZER	POLY-SET	PS210		120	EACH			40.00	
PO00018	POLE TOP PIN 18"	CHANCE	2170		150	EACH		8.90	5.58	
PV00002	WIRE PULLING LUBRICANT	THOMAS & BETTS	PJ-128	N	120	EACH		16.90	16.43	
PV00003	CABLE CLEANER & DEGREASER	CRC	02150	N	120	CAN			8.07	8.74
PV00005	PVC GLUE (IN 1 QUART CANS)	CANTEX / CARLON	PVC No. 99 (7210603) / VC9982	N	120	CAN		13.35	8.48	919.41c
PV20000	2" PVC SCHEDULE 40 CONDUIT (20' Length)	CARLON	49011-20		28000	FEET			.616	55.17c
PV20001	2" PVC SCHEDULE 40 COUPLING	CARLON	E940J		100	EACH	.41	.40	.41	34.33c
PV20001L	2" PVC SCHEDULE 40 COUPLING - LONG LINE	CARLON	E941J		500	EACH		.85	1.17	343.93c
PV20002	2" PVC SCHEDULE 40 LONG 90° ELBOW (36" Radius)	CARLON	UA9FJ		150	EACH	16.25		7.42	6.36
PV20003	2" PVC SCHEDULE 40 SHORT 90° ELBOW				75	EACH	1.57		1.70	144.09c
PV30000	3" PVC SCHEDULE 40 CONDUIT (10' Length)	CARLON	49013-10		3000	FEET	1.19		1.25	105.63c
PV30001	3" PVC SCHEDULE 40 COUPLING		E940L		50	EACH	.72	2.25	1.19	100.03c
PV30001L	3" PVC SCHEDULE 40 COUPLING - LONG LINE	CARLON	E941L		100	EACH			4.68	988.26c
PV30002	3" PVC SCHEDULE 40 LONG 90° ELBOW (36" Radius)	CARLON	UA9FL		30	EACH	24.99		14.80	10.75
PV30003	3" PVC SCHEDULE 40 SHORT 90° ELBOW				20	EACH	4.85		5.15	431.96c
PV40000	4" PVC SCHEDULE 40 CONDUIT (10' Length)	CARLON	49015-10		5000	FEET	1.64		1.72	145.65c
PV40001	4" PVC SCHEDULE 40 COUPLING				50	EACH	1.83		1.75	154.30c
PV40001L	4" PVC SCHEDULE 40 COUPLING - LONG LINE	CARLON	E941N		100	EACH			5.90	1177.76c
PV40002	4" PVC SCHEDULE 40 LONG 90° ELBOW (36" Radius)	CARLON	UA9FN		30	EACH	44.32	17.50	21.16	15.06
PV40003	4" PVC SCHEDULE 40 SHORT 90° ELBOW				20	EACH	8.34		8.87	
SAA0010	SPLICE AL AUTO 1/0 ACSR	FARGO	GL-406-A		100	EACH		8.75	6.59	
SAA0024	SPLICE AL AUTO 2 - 4 ACSR	FARGO	GL-4042A		100	EACH		6.85	5.47	
SAA0040	SPLICE AL AUTO 4/0 ACSR	FARGO	GL-409A		100	EACH		17.62	12.18	
SAA0336	SPLICE AL AUTO 336 ACSR	FARGO	GL-411		100	EACH		20.75	14.50	
SAA0795	SPLICE AL AUTO 795 AAC	FARGO	GL1385A		30	EACH		58.67	58.92	

ITEM NO	Description	MFR	MFG NO	SUB	EST AVG QTY	UOM	City Electric	AR Elect. Coop.	Irby	Elliott
SAA0795D	SPLICE AL AUTO 795 ASCR (DRAKE)	FARGO	GL1441A		30	EACH			88.05	
SAN0002	SPLICE AL COMP SVC NEUT #2	BLACKBURN	TR64		500	EACH	1.25	1.25	1.46	
SAN0004	SPLICE AL COMP SVC NEUT #4	BLACKBURN	TR63		300	EACH	1.28	1.27	1.46	
SAN0006	SPLICE AL COMP SVC NEUT #6	BLACKBURN	TR61		300	EACH	1.28	1.27	1.46	
SAN0010	SPLICE AL COMP SVC NEUT 1/0	BURNDY	YSC25R		200	EACH		2.78		
SAN0040	SPLICE AL COMP SVC NEUT 4/0	BURNDY	YSD28R28R		100	EACH	2.00	1.92	2.77	
SC00000	SCREW, LAG	CHANCE	508754		1000	EACH	.80	.60		
SCA02SO	SPLICE CU AUTO #2 SOL	FARGO	GL-114		100	EACH	8.18	5.55		
SCA02ST	SPLICE CU AUTO #2 STR	FARGO	GL-115		100	EACH	8.18	5.64		
SCA04SO	SPLICE CU AUTO #4 SOL	FARGO	GL-112		100	EACH	4.15	3.08		
SCA06SO	SPLICE CU AUTO #6 SOL	FARGO	GL-111		100	EACH	3.56	3.08		
SR00000	STIRRUP, BAIL	BURNDY	J990		300	EACH	3.85	3.50	4.58	
SR000SM	STIRRUP, SMALL	ANDERSON	AHLS022019E		100	EACH	10.57	8.55		
SR00336	STIRRUP, 336	ANDERSON	AHLS397021E		100	EACH	20.25	19.20		
SR00795	STIRRUP, 795	ANDERSON	AHLS954022E		100	EACH	35.55	34.17		
SR00SMB	STIRRUP, BRONZE	ANDERSON	BHLS022016E		100	EACH	18.25	18.75		
SW0000C	SWITCH, COMBINATION (POLYMER)	CHANCE	CP71DM112PB	N	100	EACH	138.50	169.02		
SW00100	SWITCH, CUTOFF 100AMP (POLYMER)	CHANCE	CP710112PB	N	400	EACH	83.75	95.48		
SW00200	SWITCH, CUTOFF 200AMP (POLYMER)	CHANCE	CP710143PB	N	30	EACH	140.70	136.65		
SW900AB	SWITCH, VECTOR ASSEMBLY (SEE SPECIFICATIONS)	SIEMENS	973X-AHT	N	20	EACH				
TC0000L	X-CLUSTER MOUNT - LARGE	ALUMA FORM	15M3-6		30	EACH	159.65	172.14		
TG000BC	BUSHING COVER	SALISBURY	21116		480	EACH	10.75	348.73		
TL00000	X TANK GROUND LUGS	ANDERSON	GTCS21		500	EACH	2.60	2.74		
TT00033	TAPE, SUPER 33+	3M SCOTCH	054007-06132		2000	ROLL	4.06	4.04	4.10	
UA0000B	ARRESTER, BUSHING	ELASTIMOLD	167BSA1010BX		30	EACH		184.21		
UA0000D	ARRESTER, DIP-POLE/RISER (HEAVY DUTY)	COOPER OR OHIO BRASS	URS10050A1A1A / 2216097324	N	300	EACH	48.45	46.32		
UA0000E	ARRESTER, ELBOW	ELASTIMOLD	167ESA1010BX	N	30	EACH		60.85		
UA0000P	ARRESTER, PARKING	ELASTIMOLD	167PSA1010BX	N	30	EACH		147.40		
UB0000I	BUSHING INSERT (BUSHING WELL INSERT)	COOPER	LBI-215		30	EACH	25.65	25.76		
UB0000P	BUSHING, INSULATED PARKING (STAND OFF PLUG)	ELASTIMOLD	161SOPBG	N	30	EACH		34.95		
UC0000S	CLUSTER EQUIPMENT MOUNT SWITCH	ALUMA FORM	R3CA		20	EACH	119.25	112.87		
UC0000T	CLUSTER EQUIPMENT MOUNT TERMINATER	ALUMA FORM	TBEMB16PA35		20	EACH	57.00	54.21		
UE00001	ENCLOSURE, FEED-THRU 1 PHASE		See attached specifications	P	30	EACH	325.00			
UE00003	ENCLOSURE, FEED-THRU 3 PHASE		See attached specifications	P	30	EACH	625.00			
UE0000C	ENCLOSURE SLEEVE (FIBERCRETE)	CONCAST	FC-40-43-15-2215-(5)	N	30	EACH		251.59		
UE000S1	ENCLOSURE FEED-THRU GROUND SLEEVE 1 PHASE		See attached specifications	P	30	EACH	218.00	91.04		
UE000S3	ENCLOSURE FEED-THRU GROUND SLEEVE 3 PHASE		See attached specifications	P	30	EACH	305.00	169.49		
UF0000H	FEED-THRU HORIZONTAL PARKING	COOPER	RTE 2637168CO1M		20	EACH	81.70			
UI0000C	INSULATED CAP	COOPER	LPC215		90	EACH	19.30	21.88		
UJ00002	JUNCTION, 2 WAY LOADBREAK W/ "U" STRAPS	COOPER / ELASTIMOLD	LJ215C2U / 164J2-5		30	EACH	100.66	105.72		

ITEM NO	Description	MFR	MFG NO	SUB	EST AVG QTY	UOM	City Electric	AR Elect. Coop.	1kby	Elliott
UJ00003	JUNCTION, 3 WAY LOADBREAK W/ "U" STRAPS	COOPER / ELASTIMOLD	LJ215C3U / 164J3-5		30	EACH		106.92	118.90	
UJ00004	JUNCTION, 4 WAY LOADBREAK W/ "U" STRAPS	COOPER	LJ215C4U / 164J4-5		10	EACH		114.39	137.39	
UJ0000P	JUNCTION, PEDESTAL SEC 14" ABOVE GRD	PENCELL	AG-15HDX-L35-EWB	N	60	EACH		185.50	171.00	
UJ000ST	JUNCTION BOX, SEC STD 20" GRD LEVEL - GREEN	PENCELL	PE20HDX	N	30	EACH		99.50	80.55	
UL010ST	LOAD BREAK ELBOW 1/0 STR (W - TEST POINT)	COOPER / ELASTIMOLD	LE215C06T / 162LR-C5240	N	500	EACH		27.87	25.26	
UT00003	TERMINATOR MOUNTING BRACKET 1/0 STR	3M	MB-3	N	120	EACH		11.50	15.59	16.34
UT00S10	TERMINATOR STEM 1/0 STR ONLY	3M	SC00010	N	120	EACH		11.05	13.70	19.25
UT010ST	TERMINATOR 1/0 STR	3M	5641	N	120	EACH		39.90	49.49	56.24
WAP0002	WIRE, PRIMARY #2 ACSR	SPARROW			2000	POUND		1.80	1.63 LB	
WAP0010	WIRE, PRIMARY 1/0 ACSR	RAVEN			1000	POUND		1.70	1.46 LB	
WAP0336	WIRE, PRIMARY 336.4 ACSR	MERLIN			10000	FEET		1.90	.607	
WAS002T	WIRE, SECONDARY #2 TRIPLEX	CONCH			20000	FEET		.60	-564	
WAS004D	WIRE, SECONDARY #4 DUPLEX	TERRIER			10000	FEET		.33	-284	
WAS004T	WIRE, SECONDARY #4 TRIPLEX	PERIWINKLE			5000	FEET		.46	.419	
WAS006D	WIRE, SECONDARY #6 DUPLEX	SHEPHERD			10000	FEET		.26	.220	
WAS006T	WIRE, SECONDARY #6 TRIPLEX	HIPPA			1000	FEET				
WAS010T	WIRE, SECONDARY 1/0 TRIPLEX	NERITINA			10000	FEET		.86	.795	
WAS040Q	WIRE, SECONDARY 4/0 QUADREPLEX	APPALOOSA			1000	FEET		2.20	2.14	
WAU004D	WIRE, UG SECONDARY #4 DUPLEX	DELGADO			2000	FEET		.44	.445	
WAU004T	WIRE, UG SECONDARY #4 TRIPLEX	VASSAR			1000	FEET			.569	
WAU010T	WIRE, UG SECONDARY 1/0 TRIPLEX	BRENAU			10000	FEET		.86	.881	
WAU030T	WIRE, UG SECONDARY 3/0 TRIPLEX	HOLLINS			12000	FEET		1.23	1.26	
WAU040T	WIRE, UG SECONDARY 4/0 TRIPLEX	SWEETBRIAR			2000	FEET		1.35	1.376	
WAU350T	WIRE, UG SECONDARY 350 TRIPLEX	WESLEYAN			6000	FEET		2.25	2.39	
WCB0002	WIRE, BARE COPPER #2				12500	FEET	.90		.705	
WCB004S	WIRE, BARE COPPER #4 SOFT DRAWN				30000	FEET	.57	.50	.435	
WCB006S	WIRE, BARE COPPER #6 SOFT DRAWN				31500	FEET	.37	.31	.284	
WCI0020	WIRE, INSULATED CU 2/0				3000	FEET	1.74		1.54	
WCI0040	WIRE, INSULATED CU 4/0				1000	FEET	2.75		2.833	
WCI0101B	WIRE, INSULATED CU THHN #10 SOL - BLACK				10000	FEET	.15		.131	
WCI010W	WIRE, INSULATED CU THHN #10 SOL - WHITE				5000	FEET	.15		.131	
WO00012	WASHER, ROUND 1/2"				1000	EACH			.32	
WO00058	WASHER, SPRING 5/8"	CHANCE	C2050186		3000	EACH		.40	.18	
WO0058S	WASHER, SQUARE 5/8"	CHANCE	6813		3000	EACH		.37	.27	
ZA02524	TRANSFORMER, 25KVA 7620 120-240, TAP CONV 2 BUSHING	See specifications attached			100	EACH		931.00	1100.00	
ZA05024 (*)	TRANSFORMER, 50KVA 7620 120-240, TAP CONV 2 BUSHING (SEE NLRED DIMENSION REQUIREMENTS)	See detailed dimensions below - specifications attached			120	EACH		1,200.00	1413.00	
		(*) NLRED 50KVA								
		DIMENSIONS: Case H = 33", 42" w/ Bushing, W = 22.5"								