



INVITATION TO BID/PROPOSAL COVER SHEET

Bid Number : 17-3485 Date Issued: August 18, 2017
Date & Time Bid Opening: Friday, September 1, 2017 at 10:00a.m.

General Self-Contained Breathing Apparatus

Addendum #1

Plans, specifications, proposal forms and other contract documents may be examined at the following locations:

- www.nlr.ar.gov, click on the tab "Business", click on "Bids and Vendors" and then click on "Current Bids".
- Commerce Department, 120 Main Street, North Little Rock, Arkansas 72114.
- Please direct technical questions and/or comments to: Captain Jones at 501-340-5377 or bjones@nlr.ar.gov.
- General questions should be directed to the Commerce Department at 501-975-8881.

Responses to relevant questions will be posted on the Commerce web page at www.nlr.ar.gov, click on the tab "Business", click on "Bids and Vendors" and then click on "Current Bids".

The City of North Little Rock encourages participation of small, minority, and woman own business enterprises in the procurement of goods, services, professional services, and construction, either as a general contractor or sub-contractor. It is further requested that whenever possible, majority contractors who require sub-contractors, seek qualified small, minority, and woman businesses to partner with them.

If you are obtaining this bid from our website, please be reminded that addendums may occur. It is therefore advisable that you review our listings for attachments including any changes to the bid.

Acknowledgement of Addendum

Upon signing this page, the organization certifies that they have read and agree to the requirements set forth in this bid including conditions set forth and pertinent information requests.

Name of Firm: _____ Phone No.: _____

Tax I.D. #: _____

Business Address: _____

Signature of Authorized Person: _____

Title: _____ Date: _____, 2017

UNSIGNED COVER SHEETS STATEMENTS WILL BE REJECTED

Mask-Mounted Regulator:

An optional regulator shall be available with a quick connect coupling in line for use with the optional outlet manifold and accessory hose to allow the breathing regulator to be disconnected from the unit and reconnected to the auxiliary hose of a second unit in the event rescue is required.

_____ Comply _____ Exception

The optional quick connect coupling shall be easily connected and disconnected by trained individuals with a gloved hand and/or in low light conditions.

_____ Comply _____ Exception

The optional quick connect coupling shall not allow the air hose to be connected without the HUD Connection.

_____ Comply _____ Exception

The optional coupling shall also be guarded against inadvertent disconnect during use of the equipment.

_____ Comply _____ Exception

Harness and Backframe Assembly:

~~The backframe shall include a mounting for the pressure reducer located at the waist.~~

_____ Comply _____ Exception

Personal Alert Safety System:

~~The PASS System shall be upgradeable to include a 2.4 GHz integrated locator system.~~

_____ Comply _____ Exception

Cylinder:

~~The cylinder shall be available in an approved 30-year life design as defined by the DOT Special Permit 14232.~~

_____ Comply _____ Exception

Console:

The control console shall come with a mechanical (analog) pressure gauge that is angled at 30° ~~with a sweeping display.~~

_____Comply _____Exception