

ORDINANCE NO. _____

AN ORDINANCE GRANTING A CONDITIONAL USE TO ALLOW OUTDOOR STORAGE IN AN I2 ZONE FOR CERTAIN REAL PROPERTY LOCATED AT 4545 WEST BETHANY STREET IN THE CITY OF NORTH LITTLE ROCK, ARKANSAS; DECLARING AN EMERGENCY; AND FOR OTHER PURPOSES.

WHEREAS, application was duly made by Brian Dale of Joe White & Associates, 25 Rahling Circle A-2, Little Rock, Arkansas 72223, seeking a conditional use for property located at 4545 West Bethany Street to allow outdoor storage of materials in an I2 zone, which application was duly considered and approved (8 affirmative votes; 1 absent) by the North Little Rock Planning Commission at a regularly scheduled meeting held on October 14, 2025 (see letter from applicant attached hereto as Exhibit A).

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF NORTH LITTLE ROCK, ARKANSAS:

SECTION 1: That a Conditional Use is approved for outdoor storage of materials in an I2 zone for the subject real property located at 4545 West Bethany Street in the City of North Little Rock, Pulaski County, Arkansas, being more particularly described as Lot 1 of the Arkansas Air Inc. Addition to the City of North Little Rock, Pulaski County, Arkansas (See maps attached collectively hereto as Exhibit B).

SECTION 2: That this Conditional Use shall be subject to the following:

1. A six (6) foot opaque privacy fence or a solid masonry wall shall be required to screen the outdoor storage area from public view along W Bethany Road.
2. The maximum height of the fence, including the barbed wire, shall not exceed 6-feet in the side yards and 8-feet in the rear yard.
3. Any structures located on the lot shall meet all applicable Federal, State, County, and City requirements and codes.
4. The Planning Department shall perform an inspection to confirm all requirements of the approval have been met.
5. Business license holder understands that failure to comply with these conditions may result in loss of the Conditional Use and/or loss of Business License and/or removal of Electric Power Meter.

SECTION 3: That all ordinances or parts of ordinance in conflict herewith are hereby repealed to the extent of the conflict.

SECTION 4: That the provisions of this Ordinance are hereby declared to be severable and if any section, phrase or provision shall be declared or held invalid, such invalidity shall not affect the remainder of the sections, phrases or provisions.

SECTION 5: It is hereby found and determined that the conditional use as described herein is compatible with other businesses in the area and is immediately necessary in order to insure the proper and orderly growth and development of this land and of the City of North Little Rock, Arkansas, and being necessary for the immediate preservation of the public health, safety and welfare, THEREFORE, an emergency is hereby declared to exist and this Ordinance shall be in full force and effect from and after its passage and approval.

PASSED:

APPROVED:

SPONSOR:

ATTEST:

kl Linda Robinson Jr
Council Member Linda Robinson

Mayor Terry C. Hartwick

Diane Whitbey, City Clerk

APPROVED AS TO FORM:


Amy Beckman Fields m/bm
Amy Beckman Fields, City Attorney

PREPARED BY THE OFFICE OF THE CITY ATTORNEY/kt

FILED	<u>11:18</u>	A.M.	_____	P.M.
By	<u>Maire Miller DO</u>			
DATE	<u>10-21-26</u>			
Diane Whitbey, City Clerk and Collector North Little Rock, Arkansas				
RECEIVED BY	<u>[Signature]</u>			



JOE WHITE & ASSOCIATES, INC.
CIVIL ENGINEERING - CONSULTING SERVICES - LAND SURVEYING



August 26, 2025

Ms. Donna James
City of North Little Rock
Community Planning
515 West Pershing Street
North Little Rock, Arkansas 72214

RE: Lot 1, Arkansas Air Inc.
CUP & Site Plan Review

Ms. James,

Please accept this letter to serve as our applications for the above referenced submittal. We have attached eight copies of the cover letter, check list, and site plan review.

This property is located at 4545 W. Bethany Road and is currently zoned I-1.

The property is served by Central Arkansas Water and North Little Rock Wastewater Utility. This project has one existing structure. The owner has a new tenant that would like to utilize the facility for warehouse and to store building supplies outdoors. The outdoor storage area would be screened from public view on the east, and rear sides of the building in a secured area.

Please place this item on the next available Planning Commission meeting. Do not hesitate to call should you have any questions or require any additional information.


Your help with this application is greatly appreciated.

Best Regards,



Brian Dale


Conditional Use # 2025-11



Ortho Map

1 inch = 100 feet

0 50 100 200 Feet



Date: 9/22/2025


Map is not to survey accuracy

Conditional Use # 2025-11

Conditional Use # 2025-11

4545 W. Bethany Rd.

To allow outdoor storage of materials in I2.



Zoning Map

1 inch = 200 feet

0 100 200 400 Feet



Date: 9/22/2025

Map is not to survey accuracy



MONTY WAY
(HTS)

LEGEND	
1	road as noted
2	road 1/2" = 50' as noted
3	road 1/4" = 100' as noted
4	road 1/8" = 200' as noted
5	road 1/16" = 400' as noted
6	road 1/32" = 800' as noted
7	road 1/64" = 1600' as noted
8	road 1/128" = 3200' as noted
9	road 1/256" = 6400' as noted
10	road 1/512" = 12800' as noted
11	road 1/1024" = 25600' as noted
12	road 1/2048" = 51200' as noted
13	road 1/4096" = 102400' as noted
14	road 1/8192" = 204800' as noted
15	road 1/16384" = 409600' as noted
16	road 1/32768" = 819200' as noted
17	road 1/65536" = 1638400' as noted
18	road 1/131072" = 3276800' as noted
19	road 1/262144" = 6553600' as noted
20	road 1/524288" = 13107200' as noted
21	road 1/1048576" = 26214400' as noted
22	road 1/2097152" = 52428800' as noted
23	road 1/4194304" = 104857600' as noted
24	road 1/8388608" = 209715200' as noted
25	road 1/16777216" = 419430400' as noted
26	road 1/33554432" = 838860800' as noted
27	road 1/67108864" = 1677721600' as noted
28	road 1/134217728" = 3355443200' as noted
29	road 1/268435456" = 6710886400' as noted
30	road 1/536870912" = 13421772800' as noted
31	road 1/1073741824" = 26843545600' as noted
32	road 1/2147483648" = 53687091200' as noted
33	road 1/4294967296" = 107374182400' as noted
34	road 1/8589934592" = 214748364800' as noted
35	road 1/17179869184" = 429496729600' as noted
36	road 1/34359738368" = 858993459200' as noted
37	road 1/68719476736" = 1717986918400' as noted
38	road 1/137438953472" = 3435973836800' as noted
39	road 1/274877906944" = 6871947673600' as noted
40	road 1/549755813888" = 13743895347200' as noted
41	road 1/1099511627776" = 27487790694400' as noted
42	road 1/2199023255552" = 54975581388800' as noted
43	road 1/4398046511104" = 109951162777600' as noted
44	road 1/8796093022208" = 219902325555200' as noted
45	road 1/17592186044416" = 439804651110400' as noted
46	road 1/35184372088832" = 879609302220800' as noted
47	road 1/70368744177664" = 1759218604441600' as noted
48	road 1/140737488355328" = 3518437208883200' as noted
49	road 1/281474976710656" = 7036874417766400' as noted
50	road 1/562949953421312" = 14073748835532800' as noted
51	road 1/1125899906842624" = 28147497671065600' as noted
52	road 1/2251799813685248" = 56294995342131200' as noted
53	road 1/4503599627370496" = 112589990684262400' as noted
54	road 1/9007199254740992" = 225179981368524800' as noted
55	road 1/18014398509481984" = 450359962737049600' as noted
56	road 1/36028797018963968" = 900719925474099200' as noted
57	road 1/72057594037927936" = 1801439850948198400' as noted
58	road 1/144115188075855872" = 3602879701896396800' as noted
59	road 1/288230376151711744" = 7205759403792793600' as noted
60	road 1/576460752303423488" = 14411518807585587200' as noted
61	road 1/1152921504606846976" = 28823037615171174400' as noted
62	road 1/2305843009213693952" = 57646075230342348800' as noted
63	road 1/4611686018427387904" = 115292150460684697600' as noted
64	road 1/9223372036854775808" = 230584300921369395200' as noted
65	road 1/18446744073709551616" = 461168601842738790400' as noted
66	road 1/36893488147419103232" = 922337203685477580800' as noted
67	road 1/73786976294838206464" = 1844674407370955161600' as noted
68	road 1/147573952589676412928" = 3689348814741910323200' as noted
69	road 1/295147905179352825856" = 7378697629483820646400' as noted
70	road 1/590295810358705651712" = 14757395258967641292800' as noted
71	road 1/1180591620717411303424" = 29514790517935282585600' as noted
72	road 1/2361183241434822606848" = 59029581035870565171200' as noted
73	road 1/4722366482869645213696" = 118059162071741130342400' as noted
74	road 1/9444732965739290427392" = 236118324143482260684800' as noted
75	road 1/18889465931478580854784" = 472236648286964521369600' as noted
76	road 1/37778931862957161709568" = 944473296573929042739200' as noted
77	road 1/75557863725914323419136" = 1888946593147858085478400' as noted
78	road 1/151115727451828646838272" = 3777893186295716170956800' as noted
79	road 1/302231454903657293676544" = 7555786372591432341913600' as noted
80	road 1/604462909807314587353088" = 15111572745182864683827200' as noted
81	road 1/1208925819614629174706176" = 30223145490365729367654400' as noted
82	road 1/2417851639229258349412352" = 60446290980731458735308800' as noted
83	road 1/4835703278458516698824704" = 120892581961462917470617600' as noted
84	road 1/9671406556917033397649408" = 241785163922925834941235200' as noted
85	road 1/19342813113834066795298816" = 483570327845851669882470400' as noted
86	road 1/38685626227668133590597632" = 967140655691703339764940800' as noted
87	road 1/77371252455336267181195264" = 1934281311383406679529881600' as noted
88	road 1/154742504910672534362390528" = 3868562622766813359059763200' as noted
89	road 1/309485009821345068724781056" = 7737125245533626718119526400' as noted
90	road 1/618970019642690137449562112" = 15474250491067253436239052800' as noted
91	road 1/1237940039285380274899124224" = 30948500982134506872478105600' as noted
92	road 1/2475880078570760549798248448" = 61897001964269013744956211200' as noted
93	road 1/4951760157141521099596486896" = 123794003928538027489912422400' as noted
94	road 1/9903520314283042199192973792" = 247588007857076054979824844800' as noted
95	road 1/19807040628566084398385947584" = 495176015714152109959648689600' as noted
96	road 1/39614081257132168796771895168" = 990352031428304219919297379200' as noted
97	road 1/79228162514264337593543790336" = 1980704062856608439838594758400' as noted
98	road 1/158456325028528675187087580672" = 3961408125713216879677189516800' as noted
99	road 1/316912650057057350374175161344" = 7922816251426433759354379033600' as noted
100	road 1/633825300114114700748350322688" = 15845632502852867518708758067200' as noted
101	road 1/1267650600228229401496700645376" = 31691265005705735037417516134400' as noted
102	road 1/2535301200456458802993401290752" = 63382530011411470074835032268800' as noted
103	road 1/5070602400912917605986802581504" = 126765060022822940149670064537600' as noted
104	road 1/10141204801825835211973605163008" = 253530120045645880299340129075200' as noted
105	road 1/20282409603651670423947210326016" = 507060240091291760598680258150400' as noted
106	road 1/40564819207303340847894420652032" = 1014120480182583521197360516300800' as noted
107	road 1/81129638414606681695788841304064" = 2028240960365167042394721032601600' as noted
108	road 1/162259276829213363391777822608128" = 4056481920730334084789442065203200' as noted
109	road 1/324518553658426726783555645216256" = 8112963841460668169578884130406400' as noted
110	road 1/649037107316853453567111290432512" = 16225927682921336339177782260812800' as noted
111	road 1/1298074214633706907134222580865024" = 32451855365842672678355564521625600' as noted
112	road 1/2596148429267413814268445161730048" = 64903710731685345356711129043251200' as noted
113	road 1/5192296858534827628536890323460096" = 129807421463370690713422258086502400' as noted
114	road 1/1038459371706965525707378064690112" = 259614842926741381426844516173004800' as noted
115	road 1/2076918743413931051414756129380224" = 519229685853482762853689032346009600' as noted
116	road 1/4153837486827862102829512258760448" = 103845937170696552570737806469011200' as noted
117	road 1/8307674973655724205659024517520896" = 207691874341393105141475612938022400' as noted
118	road 1/16615349947311448411318049035041792" = 415383748682786210282951225876044800' as noted
119	road 1/33230699894622896822636098070083584" = 830767497365572420565902451752089600' as noted
120	road 1/66461399789245793645272196140167168" = 1661534994731144841131804903504179200' as noted
121	road 1/132922799578491587290544392280334336" = 3323069989462289682263609807008358400' as noted
122	road 1/265845599156983174581088784560668672" = 6646139978924579364527219614016716800' as noted
123	road 1/531691198313966349162177569121337344" = 13292279957849158729054439228033433600' as noted
124	road 1/1063382396627932698324355138242674688" = 26584559915698317458108878456066867200' as noted
125	road 1/2126764793255865396648710276485349376" = 53169119831396634916217756912133734400' as noted
126	road 1/4253529586511730793297420552970698752" = 106338239662793269832435513824267468800' as noted
127	road 1/8507059173023461586594841105941397504" = 212676479325586539664871027648534937600' as noted
128	road 1/17014118346046923173189682211882795008" = 425352958651173079329742055297069875200' as noted
129	road 1/34028236692093846346379364423765590016" = 850705917302346158659484110594139750400' as noted
130	road 1/68056473384187692692758728847531180032" = 1701411834604692317318968221188279500800' as noted
131	road 1/136112946768375385385517457695062360064" = 3402823669209384634637936442376559001600' as noted
132	road 1/272225893536750770771034915390124720128" = 6805647338418769269275872884753118003200' as noted
133	road 1/544451787073501541542069830780249440256" = 13611294676837538538551745769506236006400' as noted
134	road 1/1088903574147003083084139661560498880512" = 27222589353675077077103491539012472012800' as noted
135	road 1/2177807148294006166168279323120997761024" = 54445178707350154154206983078024944025600' as noted
136	road 1/4355614296588012332336558646241995522048" = 108890357414700308308413966156049888051200' as noted
137	road 1/8711228593176024664673117292483991044096" = 217780714829400616616827932312099776102400' as noted
138	road 1/17422457186352049329346234584967982088192" = 435561429658801233233655864624199552204800' as noted
139	road 1/34844914372704098658692469169935964176384" = 871122859317602466467311729248399104409600' as noted
140	road 1/69689828745408197317384938339871928352768" = 1742245718635204932934623458496798208819200' as noted
141	road 1/139379657490816394634769876679743856705536" = 3484491437270409865869246916993596417638400' as noted
142	road 1/278759314981632789269539753359487713411072" = 6968982874540819731738493833987192835276800' as noted
143	road 1/557518629963265578539079506718975426822144" = 13937965749081639463476987667974385670553600' as noted
144	road 1/1115037259926531157078159013437908853644288" = 27875931498163278926953975335948771341107200' as noted
145	road 1/223007451985306231415631802687581767288576" = 55751862996326557853907950671897542682214400' as noted
146	road 1/446014903970612462831263605375163534577152" = 111503725992653115707815901343790885364428800' as noted
147	road 1/892029807941224925662527210750327069154304" = 22300745198530623141563180268758176728857600' as noted
148	road 1/1784059615882449851325054421500654138308608" = 44601490397061246283126360537516353457715200' as noted
149	road 1/3568119231764899702650108843001308276617216" = 89202980794122492566252721075032706915430400' as noted
150	road 1/7136238463529799405300217686002616553234432" = 178405961588244985132505442150065413830860800' as noted
151	road 1/14272476927059598810600435372005233106468864" = 356811923176489970265010884300130827661721600' as noted
152	road 1/28544953854119197621200870744010466212937728" = 713623846352979940530021768600261655323443200' as noted
153	road 1/57089907708238395242401741488020932425875456" = 1427247692705959881060043537200523310646886400' as noted
154	road 1/11417981541647679048480348297604186451175008" = 2854495385411919762120087074401046621293772800' as noted
155	road 1/22835963083295358096960696595208372902350016" = 5708990770823839524240174148802093242587545600' as noted
156	road 1/45671926166590716193921393190416745804700032" = 1141798154164767904848034829760418645117500800' as noted
157	road 1/91343852333181432387842786380833491601400064" = 2283596308329535809696069659520837290235001600' as noted
158	road 1/182687704666362864775685572761666982402800128" = 4567192616659071619392139319041674580470003200' as noted
159	road 1/365375409332725729551371145523333964805600256" = 9134385233318143238784278638083349160140006400' as noted
160	road 1/730750818665451459102742291046667929611200512" = 18268770466636286477568557276166698240280012800' as noted
161	road 1/1461501637330902918205484582093335859224001024" = 36537540933272572955137114552333396480560025600' as noted
1	